Investigative Ophthalmology & Visual Science

A Journal of Clinical and Basic Research

EDITOR-IN-CHIEF

Alan M. Laties

GENERAL EDITORS

CHRISTINA ENROTH-CUGELL
Evanston

ROY H. STEINBERG
San Francisco

MORTON F. GOLDBERG
Chicago

BARBARA W. STREETEN
Syracuse

ANTHONY B. NESBURN
Los Angeles

MARK T'SO
Chicago

VENKAT REDDY
Rochester, Michigan

SECTION EDITORS

Anatomy
MATTHEW LaVAIL
San Francisco

Biochemistry
GERALD J. CHADER
Bethesda

Central connections
ANITA E. HENDRICKSON
Seattle

Clinical retina
ROBERT N. FRANK
Detroit

Cornea and external diseases
JULES BAUM
Boston
JOHN W. CHANDLER
Seattle

Glaucoma
DOUGLAS R. ANDERSON
Miami

Immunology
ARTHUR SILVERSTEIN
Baltimore

Lens
LEO T. CHYLACK, JR.
Boston

JOSEPH HORWITZ
Los Angeles

Ocular motor
ALBERT F. FUCHS
Seattle

Pathology
FREDERICK A. JAKOBIEC
New York

Pharmacology
ARTHUR H. NEUFELD
Boston

Physiology
ROBERT RODIECK
Seattle

Psychophysics
E. N. PUGH, JR.
Philadelphia

MANAGING EDITOR

BETTY B. MOORHEAD

Publishers *The C. V. Mosby Company* *St. Louis*

Volume 20 June 1981

Volume 20
Copyright © 1981 by

The Association for Research in Vision and Ophthalmology

All rights reserved
Printed in the United States of America

Index to volume 20

Author index*

A

Abshire RL: *see* Cagle and Abshire, 751
Adams JI: *see* Wallman et al, 557
Aguirre G: *see* Valle et al, 251
Albert DM, Shadduck JA, Craft JL, Niederkorn JY: Feline uveal melanoma model induced with feline sarcoma virus, 606
— *see* Niederkorn et al, 598
— *see* Smyth et al, 799
Alpern M, Krantz DH: Visual pigment kinetics in abnormalities of the uvea–retinal epithelium interface in man, 183
Alvarez RA, Bridges CDB, Fong S-L: High-pressure liquid chromatography of fatty acid esters of retinol isomers. Analysis of retinyl esters stored in eye, 304
Anderson JA: *see* Vita et al, 255
Anderson PJ: *see* Epstein et al, 625
Armington JC: Visually evoked cortical potentials accompanying blinks, 691
Arnzen RJ: *see* Moses et al, 722
Auerbach E: *see* Perlman and Auerbach, 758

B

Bárány EH: *see* Kaufman and Bárány, 644
Barrie KP: *see* Gelatt et al, 683
Bartels SP, Roth HO, Neufeld AH: Effects of intravitreal cholera toxin on adenosine 3′,5′-monophosphate, intraocular pressure, and outflow facility in rabbits, 410
Barza M, Kane A, Baum J: Difficulty of determining route of intraocular penetration of gentamicin after subconjunctival injection in rabbit, 509
— *see* Kane et al, 593
Baum J: *see* Barza et al, 509
— *see* Kane et al, 593
Bausher L: *see* Gregory et al, 371
Becker B: *see* Dutton et al, 450
Bedell HE, Flom MC: Monocular spatial distortion in strabismic amblyopia, 263
BenEzra D: *see* Gery et al, 32
Bengtsson E: *see* Holmdahl and Bengtsson, 726
Bettelheim FA, Siew EL, Chylack LT Jr: Studies on human cataracts. III. Structural elements in nuclear cataracts and their contribution to the turbidity, 348
— *see* Chylack et al, 327
— *see* Siew et al, 334
Bieri JG: *see* Carter-Dawson et al, 569
Birk DE: *see* Lande et al, 481
Blankenstein MF: *see* Greiss and Blankenstein, 803
Blizzard JJ: *see* Sergott et al, 173
Blumberg S: *see* Cohen et al, 717
Boison AP: *see* Valle et al, 251
Boissy RE: *see* Smyth et al, 799
Boothe RG: *see* Kiorpes and Boothe, 257
Boswell FM III: *see* Nicolaides et al, 522
Botelho SY, Fuenmayor N: Lacrimal gland flow and potentials during dinitrophenol, ouabain, and ethacrynic acid perfusion, 515
Bourne WM: *see* Burns et al, 77
Brenner JF: *see* Lester et al, 407
Brettel H: *see* Rentschler et al, 695
Bridges CDB: Agglutination of isolated rod outer segments by lectins, 17
— Lectin receptors of rods and cones. Visualization by fluorescent label, 8
— *see* Alvarez et al, 304
Bromberg BB: Autonomic control of lacrimal protein secretion, 110
Brubaker RF: *see* Burns et al, 77
Buckley RJ: *see* Sherrard and Buckley, 816
Burke JM: Vitreal superoxide and superoxide dismutase after hemorrhagic injury: role of invasive cells, 435
— ,Sipos E, Cross HE: Cell proliferation in response to vitreous hemoglobin, 575
— ,Smith JM: Retinal proliferation in response to vitreous hemoglobin or iron, 582
Burns B: *see* Green et al, 490
Burns RR, Bourne WM, Brubaker RF: Endothelial function in patients with cornea guttata, 77
Burnside B: *see* Levinson and Burnside, 294
Bursell S-E: *see* Lester et al, 407

C

Cagle GD, Abshire RL: Quantitative ocular bacteriology: method for enumeration and identification of bacteria from skin-lash margin and conjunctiva, 751
Candia OA, Podos SM: Inhibition of active transport of chloride and sodium by vanadate in the cornea, 733
Carlson MR: *see* Collins et al, 652
Carter-Dawson L, Kuwabara T, Bieri JG: Effects of moderate-intensity light on vitamin A–deficient rat retinas, 569
Chader GJ: *see* Masterson and Chader, 1
Chase DG: *see* Farber et al, 24
Cheng H-M: *see* Gillis et al, 457
— *see* Jedziniak et al, 314
Chester GH: *see* Constable et al, 246
Chitjian PA: *see* Meyers-Elliott and Chitjian, 784
— *see* Meyers-Elliott et al, 86

*January, pp. 1-138; February, pp. 139-284; March, pp. 285-424; April, pp. 425-568; May, pp. 569-704; June, pp. 705-836.

Chylack LT Jr, Bettelheim FA, Tung WH: Studies on human cataracts. I. Evaluation of techniques of human cataract preservation after extraction, 327
— *see* Bettelheim et al, 348
— *see* Gillis et al, 457
— *see* Jedziniak et al, 314
— *see* Siew et al, 334
Clover G: *see* Ernst et al, 812
Cohen S, Dusman E, Blumberg S, Teichberg V: In vitro contraction of pupillary sphincter by substance P and its stable analogs, 717
Colasanti BK, Trotter RR: Effects of selective $beta_1$- and $beta_2$-adrenoreceptor agonists and antagonists on intraocular pressure in cat, 69
Coleman L: *see* Emerson and Coleman, 766
Collins CC, Carlson MR, Scott AB, Jampolsky A: Extraocular muscle forces in normal human subjects, 652
Constable IJ, Horne R, Slatter DH, Chester GH, Cooper RL: Regeneration of retinal limiting membranes after chorioretinal biopsy in dogs, 246
Cooper RL: *see* Constable et al, 246
Cornwell AC: Flicker: decay effect after light deprivation, 809
Craft JL: *see* Albert et al, 606
Crawford MLJ: *see* von Noorden and Crawford, 665
Crispen RG: *see* Yokoyama et al, 364
Cross HE: *see* Burke et al, 575

D

Davis SD: *see* Van Horn et al, 213
de Venecia G: *see* Jones et al, 276
Dräger UC, Olsen JF: Ganglion cell distribution in retina of mouse, 285
Dunn MW: *see* Hernandez et al, 120
Dusman E: *see* Cohen et al, 717
Dutton JJ, Krupin T, Fritz C, Becker B: Transport and metabolism of pyridoxine in rabbit iris–ciliary body, 450

E

Edelhauser HF: *see* Stern et al, 497
Elliott JH: *see* Meyers-Elliott et al, 86
Emerson RC, Coleman L: Does image movement have a special nature for neurons in the cat's striate cortex, 766
Epstein DL, Hashimoto JM, Anderson PJ, Grant WM: Effect of iodacetamide perfusion on outflow facility and metabolism of trabecular meshwork, 625
Ernst W, Clover G, Faulkner D: X-linked retinitis pigmentosa: reduced rod flicker sensitivity in heterozygous females, 812
Essex M: *see* Niederkorn et al, 598
Etheridge EL: *see* Moses et al, 61

F

Farber DB, Souza DW, Chase DG, Lolley RN: Cyclic nucleotides of cone-dominant retinas. Reduction of cyclic AMP levels by light and by cone degeneration, 24
Fatt I: *see* Weissman et al, 123
Faulkner D: *see* Ernst et al, 812
Felberg NT: *see* Sergott et al, 173
Fite K: *see* Smyth et al, 799
Flom MC: *see* Bedell and Flom, 263
Foidart J: *see* Newsome et al, 738
Fong S-L: *see* Alvarez et al, 304
Franklin RM: *see* Liu et al, 100
Fritz C: *see* Dutton et al, 450
Fuenmayor N: *see* Botelho and Fuenmayor, 515

G

Ganley JP, Payne CM: Clinical and electron microscopic observations of conjunctiva of adult patients with Bitot's spots, 632
Gelatt KN, Gum GG, Barrie KP: Tonometry in glaucomatous globes, 683
Gery I, Nussenblatt R, BenEzra D: Dissociation between humoral and cellular immune responses to lens antigens, 32
— , O'Brien PJ: RCS rat macrophages exhibit normal ROS phagocytosis, 675
Gillis MK, Chylack LT Jr, Cheng H-M: Age and the control of glycolysis in rat lens, 457
— *see* Jedziniak et al, 314
Goosey JD, Zigler JS Jr, Matheson IBC, Kinoshita JH: Effects of singlet oxygen on human lens crystallins in vitro, 679
Gordon GG: *see* Hernandez et al, 120
Grant WM: *see* Epstein et al, 625
Green K, Burns B, Hull DS, Livingston V, Van Horn DL: Inhibition of corneal deswelling during perfusion of fatty acids across rabbit corneal endothelium, 490
Gregory D, Sears M, Bausher L, Mishima H, Mead A: Intraocular pressure and aqueous flow are decreased by cholera toxin, 371
Greiss GA, Blankenstein MF: Additivity and repair of actinic retinal lesions, 803
Grodzki WJ Jr: *see* Moses et al, 61, 722
Grunwald JE, Sinclair SH, Riva CE: Is the pulsating vascular tree entoptic phenomenon an indicator of ophthalmic artery pressure, 564
Gum GG: *see* Gelatt et al, 683

H

Hashimoto JM: *see* Epstein et al, 625
Hassell J: *see* Newsome et al, 738

Herishanu YO, Sharpe JA: Normal square wave jerks, 268
Hernandez MR, Wenk EJ, Weinstein BI, Gordon GG, Dunn MW, Southren AL: Corneal-conjunctival uptake of topical ^{3}H-dexamethasone in rabbit eye, 120
Hilz R: *see* Rentschler et al, 695
Ho PC: *see* Meyers-Elliott et al, 86
Holly FJ, Lamberts DW: Effect of nonisotonic solutions on tear film osmolality, 236
Holmberg NJ: *see* Kass et al, 442
Holmdahl G, Bengtsson E: Effect of timolol maleate on disruption of blood-aqueous barrier in rabbit eye, 726
Horne R: *see* Constable et al, 246
Hulem CD: *see* Vita et al, 255
Hull DS: *see* Green et al, 490
Hyndiuk RA: *see* Van Horn et al, 213

J

Jacobs R, Krohn DL: Fluorescence intensity profile of human lens sections, 117
Jampolsky A: *see* Collins et al, 652
Jedziniak JA, Chylack LT Jr, Cheng H-M, Gillis MK, Kalustian AA, Tung WH: Sorbitol pathway in human lens: aldose reductase and polyol dehydrogenase, 314
Jester JV, Nicolaides N, Smith RE: Meibomian gland studies: histologic and ultrastructural investigations, 537
Jezyk P: *see* Valle et al, 251
Johnson CA: *see* Maddock et al, 387
Jones RM, Klein R, de Venecia G, Myers FL: Abnormal electro-oculograms from eyes with malignant melanoma of choroid, 276

K

Kaas JH: *see* Weller et al, 139
Kaiser-Kupfer MI, McCain L, Shapiro J, Podgor M, Kupfer C, Rowe D: Low ocular rigidity in patients with osteogenesis imperfecta, 807
Kaitaranta JK: *see* Nicolaides et al, 522
Kalustian AA: *see* Jedziniak et al, 314
Kane A, Barza M, Baum J: Intravitreal injection of gentamicin in rabbits. Effect of inflammation and pigmentation on half-life and ocular distribution, 593
— *see* Barza et al, 509
Kass MA, Holmberg NJ, Smith ME: Prostaglandin and thromboxane synthesis by microsomes of inflamed rabbit ciliary body–iris, 442
Katz S: *see* Newsome et al, 738
Kaufman PL, Bárány EH: Adrenergic drug effects on aqueous outflow facility following ciliary muscle retrodisplacement in the cynomolgus monkey, 644
Kimsey RA: *see* Taylor and Kimsey, 548
Kinoshita JH: *see* Goosey et al, 679
Kiorpes L, Boothe RG: Naturally occurring strabismus in monkeys *(Macaca nemestrina)*, 257
Kistler HB Jr, LaVail JH: Penetration of horseradish peroxidase into optic nerve after vitreal or vascular injections in developing chick, 705
Klein R: *see* Jones et al, 276
Krachmer JH: *see* Mannis and Krachmer, 382
— *see* Newsome et al, 738
Krantz DH: *see* Alpern and Krantz, 183
Krohn DL: *see* Jacobs and Krohn, 117
Krupin T: *see* Dutton et al, 450
Kulkarni PS: *see* Srinivasan and Kulkarni, 688
Kupfer C: *see* Kaiser-Kupfer et al, 807
Kuwabara T: *see* Carter-Dawson et al, 569
— *see* Sykes et al, 425

L

Labow-Daily LS: *see* Tytla and Labow-Daily, 400
Laing RA: *see* Lester et al, 407
Lamberts DW: *see* Holly and Lamberts, 236
Lande MA, Birk DE, Nagpal ML, Rader RL: Phagocytic properties of human keratocyte cultures, 481
LaVail JH: *see* Kistler and LaVail, 705
LaVail MM: Photoreceptor characteristics in congenic strains of RCS rats, 671
Leat S: *see* Maddock et al, 387
Leopold IH: *see* Vita et al, 255
Lester JM, McFarland JL, Bursell S-E, Laing RA, Brenner JF: Automated morphometric analysis of corneal endothelial cells, 407
Levinson G, Burnside B: Circadian rhythms in teleost retinomotor movements. Comparison of effects of circadian rhythm and light condition on cone length, 294
Liu SH, Tagawa Y, Prendergast RA, Franklin RM, Silverstein AM: Secretory component of IgA: marker for differentiation of ocular epithelium, 100
Livingston V: *see* Green et al, 490
Lolley RN: *see* Farber et al, 24
Lukas J: *see* Siegfried and Lukas, 125

M

Macy JI: *see* Nicolaides et al, 522
Maddock RJ, Millodot M, Leat S, Johnson CA: Accommodation responses and refractive error, 387
Malach R: *see* Rabin et al, 561
Mannis MJ, Krachmer JH: No effect of concanavalin A on corneal graft reaction, 382
Masterson E, Chader GJ: Pigment epithelial cells in culture. Metabolic pathways required for phagocytosis, 1
Matheson IBC: *see* Goosey et al, 679

Matsui Y: *see* Yokoyama et al, 364
McCain L: *see* Kaiser-Kupfer et al, 807
McCulley JP: *see* Schwartz and McCulley, 467
McFarland JL: *see* Lester et al, 407
Mead A: *see* Gregory et al, 371
Meyers-Elliott RH, Chitjian PA: Immunopathogenesis of corneal inflammation in herpes simplex virus stromal keratitis: role of polymorphonuclear leukocyte, 784
— , Elliott JH, Chitjian PA, Ho PC: Humoral and cell-mediated immune responses to epidermal growth factor in rabbit, 86
Miller CA: *see* Trousdale et al, 230
Millodot M: *see* Maddock et al, 387
Mishima H: *see* Gregory et al, 371
Mizuno K: *see* Tamai and Mizuno, 272
Moses RA, Grodzki WJ Jr, Arnzen RJ: Constant-area applanation tonography, 722
— ,— ,Etheridge EL, Wilson CD: Schlemm's canal: effect of intraocular pressure, 61
Myers FL: *see* Jones et al, 276

N

Nagpal ML: *see* Lande et al, 481
Nesburn AB: *see* Trousdale et al, 230
Neufeld AH: *see* Bartels et al, 410
Newsome DA, Foidart J, Hassell J, Krachmer J, Rodrigues M, Katz S: Detection of specific collagen types in normal and keratoconus corneas, 738
Nicolaides N, Kaitaranta JK, Rawdah TN, Macy JI, Boswell FM III, Smith RE: Meibomian gland studies: comparison of steer and human lipids, 522
— *see* Jester et al, 537
Niederkorn JY, Shadduck JA, Albert D, Essex M: Serum antibodies against feline oncornavirus-associated cell membrane antigen in cats bearing virally induced uveal melanomas, 598
— , Streilein JW, Shadduck JA: Deviant immune responses to allogeneic tumors injected intracamerally and subcutaneously in mice, 355
— *see* Albert et al, 606
Niemeyer G: *see* Steinberg and Niemeyer, 414
Nussenblatt R: *see* Gery et al, 32

O

O'Brien PJ: *see* Gery and O'Brien, 675
O'Donnell MJ: *see* Yokoyama et al, 364
Olsen JF: *see* Dräger and Olsen, 285

P

Patterson JW: Effect of ouabain on volume regulation in rat lens, 40
Payne CM: *see* Ganley and Payne, 632
Pederson HJ: *see* Stern et al, 497
— *see* Van Horn et al, 213
Perlman I, Auerbach E: Relationship between visual sensitivity and rhodopsin density in retinitis pigmentosa, 758
Podgor M: *see* Kaiser-Kupfer et al, 807
Podos SM: *see* Candia and Podos, 733
Pomerantzeff O: *see* Wieder et al, 418
Prendergast RA: *see* Liu et al, 100

R

Rabin J, Van Sluyters RC, Malach R: Emmetropization: a vision-dependent phenomenon, 561
Rader RL: *see* Lande et al, 481
Rao NA: Chronic experimental allergic optic neuritis, 159
Rasson J: *see* Weissman et al, 123
Rawdah TN: *see* Nicolaides et al, 522
Rentschler I, Hilz R, Brettel H: Amblyopic abnormality involves neural mechanisms concerned with movement processing, 695
Rich L: *see* Smith et al, 222
Riva CE: *see* Grunwald et al, 564
Robinson WG Jr: *see* Sykes et al, 425
Rodrigues M: *see* Newsome et al, 738
Roth HO: *see* Bartels et al, 410
Rowe D: *see* Kaiser-Kupfer et al, 807

S

Savino PJ: *see* Sergott et al, 173
Schatz NJ: *see* Sergott et al, 173
Schneider J: *see* Wieder et al, 418
Schwartz BD, McCulley JP: Morphology of transplanted corneal endothelium derived from tissue culture, 467
Scott AB: *see* Collins et al, 652
Sears M: *see* Gregory et al, 371
— *see* Soloway et al, 47
— *see* Stjernschantz et al, 53
Sergott RC, Felberg NT, Savino PJ, Blizzard JJ, Schatz NJ: Graves' ophthalmopathy—immunologic parameters related to corticosteroid therapy, 173
Shadduck JA: *see* Albert et al, 606
— *see* Niederkorn et al, 355, 598
Shapiro J: *see* Kaiser-Kupfer et al, 807
Sharpe JA: *see* Herishanu and Sharpe, 268
Sherrard ES, Buckley RJ: Contact clinical specular microscopy of the corneal endothelium: optical modifications to the applanating objective cone, 816
Siegfried JB, Lukas J: Early wavelets in VECP, 125
Siew EL, Bettelheim FA, Chylack LT Jr, Tung WH: Studies on human cataracts. II. Correlation between clinical description and light-scattering parameters of human cataracts, 334
— *see* Bettelheim et al, 348

Silverstein AM: *see* Liu et al, 100
Sinclair SH: *see* Grunwald et al, 564
Sipos E: *see* Burke et al, 575
Slatter DH: *see* Constable et al, 246
Smith JM: *see* Burke and Smith, 582
Smith LA: *see* Smith et al, 222
Smith ME: *see* Kass et al, 442
Smith RE: *see* Jester et al, 537
— *see* Nicolaides et al, 522
Smith RS, Smith LA, Rich L, Weimar V: Effects of growth factors on corneal wound healing, 222
Smyth DR, Boissy RE, Fite K, Albert DM: Retinal dystrophy associated with postnatal amelanosis in chicken, 799
Snyder DA: *see* Yokoyama et al, 364
Soloway MR, Stjernschantz J, Sears M: Miotic effect of substance P on isolated rabbit iris, 47
Southren AL: *see* Hernandez et al, 120
Souza DW: *see* Farber et al, 24
Srinivasan BD, Kulkarni PS: Effect of steroidal and nonsteroidal anti-inflammatory agents on corneal re-epithelialization, 688
Staatz WD: *see* Stern et al, 497
Steinbach MJ: Alternating exotropia: temporal course of switch in suppression, 129
Steinberg RH, Niemeyer G: Light peak of cat DC electroretinogram: not generated by a change in $[K^+]_o$, 414
Stern ME, Edelhauser HF, Pederson HJ, Staatz WD: Effects of ionophores X537A and A23187 and calcium-free medium on corneal endothelial morphology, 497
Stjernschantz J, Sears M, Stjernschantz L: Intraocular effects of substance P in rabbit, 53
— *see* Soloway et al, 47
Stjernschantz L: *see* Stjernschantz et al, 53
Streilein JW: *see* Niederkorn et al, 355
Sykes SM, Robinson WG Jr, Waxler M, Kuwabara T: Damage to monkey retina by broad-spectrum fluorescent light, 425

T

Tagawa Y: *see* Liu et al, 100
Tamai M, Mizuno K: Electroretinogram changes after fluorescein injection: new method to evaluate blood-retinal barrier dysfunction, 272
Taylor HR, Kimsey RA: Corneal epithelial basement membrane changes in diabetes, 548
Teichberg V: *see* Cohen et al, 717
Tessler HH: *see* Yokoyama et al, 364
Tigges J, Tigges M: Distribution of retinofugal and corticofugal axon terminals in superior colliculus of squirrel monkey, 149
Tigges M: *see* Tigges and Tigges, 149
Trachtman JN: *see* Wallman et al, 557
Tripathi BJ, Tripathi RC: Effect of arachidonic acid on normal and dystrophic pigment epithelium in tissue culture, 553
Tripathi RC: *see* Tripathi and Tripathi, 553
Trotter RR: *see* Colasanti and Trotter, 69
Trousdale MD, Nesburn AB, Miller CA: Assessment of acyclovir on acute ocular infection induced by drug-resistant strains of HSV-1, 230
Tseng CH: *see* Yokoyama et al, 364
Tung WH: *see* Chylack et al, 327
— *see* Jedziniak et al, 314
— *see* Siew et al, 334
Tyler CW: Specific deficits of flicker sensitivity in glaucoma and ocular hypertension, 204
Tytla ME, Labow-Daily LS: Evaluation of CAM treatment for amblyopia: a controlled study, 400

V

Valle DL, Boison AP, Jezyk P, Aguirre G: Gyrate atrophy of the choroid and retina in cat, 251
Van Horn DL, Davis SD, Hyndiuk RA, Pederson HJ: Experimental *Pseudomonas* keratitis in rabbit: bacteriologic, clinical, and microscopic observations, 213
— *see* Green et al, 490
Van Sluyters RC: *see* Rabin et al, 561
Vita JB, Anderson JA, Hulem CD, Leopold IH: Angiotensin-converting enzyme activity in ocular fluids, 255
von Noorden GK, Crawford MLJ: Failure to preserve cortical binocularity in strabismic monkeys raised in unidirectional environment, 665

W

Wallman J, Adams JI, Trachtman JN: Eyes of young chickens grow toward emmetropia, 557
Ward J: *see* Weller et al, 139
Waxler M: *see* Sykes et al, 425
Weimar V: *see* Smith et al, 222
Weinstein BI: *see* Hernandez et al, 120
Weissman BA, Fatt I, Rasson J: Diffusion of oxygen in human corneas in vivo, 123
Weleber RG: Effect of age on human cone and rod ganzfeld electroretinograms, 392
Weller RE, Kaas JH, Ward J: Preservation of retinal ganglion cells and normal patterns of retinogeniculate projections in prosimian primates with long-term ablations of striate cortex, 139
Wenk EJ: *see* Hernandez et al, 120
Wieder M, Pomerantzeff O, Schneider J: Retinal vessel photocoagulation: a quantitative comparison of argon and krypton laser effects, 418

Wilson CD: *see* Moses et al, 61

Y

Yamashiroya HM: *see* Yokoyama et al, 364
Yokoyama MM, Matsui Y, Yamashiroya HM, O'Donnell MJ, Tseng CH, Snyder DA, Tessler HH, Crispen RG, Zimjewski CM: Humoral and cellular immunity studies in patients with Vogt-Koyanagi-Harada syndrome and pars planitis, 364

Z

Zigler JS Jr: *see* Goosey et al, 679
Zimjewski CM: *see* Yokoyama et al, 364

Subject index*

A

A23187; *see* Ionophores X537A and A23187
Accommodation responses and refractive error, 387
Actinic retinal lesions, additivity and repair of, 803
Acyclovir effect on acute ocular infection induced by drug-resistant strains of HSV-1, assessment of, 230
Adenosine 3′, 5′-monophosphate; *see* Cyclic adenosine monophosphate
Adrenergic drug effects on aqueous outflow facility following ciliary muscle retrodisplacement in cynomolgus monkey, 644
Adrenoreceptor, β_1- and β_2-, selective agonists and antagonists, effects on intraocular pressure in cat, 69
Age and control of glycolysis in rat lens, 457
  effect on human cone and rod ganzfeld electroretinograms, 392
Agglutination of isolated rod outer segments by lectins, 17
Agonists and antagonists, selective β_1- and β_2-adrenoreceptor, effects on intraocular pressure in cat, 69
Aldose reductase and polyol dehydrogenase: sorbitol pathway in human lens, 314
Allergic optic neuritis, chronic experimental, 159
Allogeneic tumors injected intracamerally and subcutaneously in mice, deviant immune responses to, 355
Alternating exotropia, temporal course of switch in suppression in, 129
Amblyopia, CAM treatment for, evaluated, 400
  strabismic, monocular spatial distortion in, 263
Amblyopic abnormality involves neural mechanisms concerned with movement processing, 695
Amelanosis, postnatal, in chicken, retinal dystrophy associated with, 799
AMP, cyclic; *see* Cyclic adenosine monophosphate
Angiotensin-converting enzyme activity in ocular fluids, 255
Antagonists and agonists, selective β_1- and β_2-adrenoreceptor, effects on intraocular pressure in cat, 69
Antibodies, serum, against feline oncornavirus-associated cell membrane antigen in cats bearing virally induced uveal melanomas, 598
Antigen(s), feline oncornavirus-associated cell membrane, in cats bearing uveal melanomas, serum antibodies against, 598
  lens, humoral and cellular responses to, dissociated, 32
Aqueous flow and intraocular pressure decreased by cholera toxin, 371
  outflow facility, adrenergic drug effects after ciliary muscle retrodisplacement in cynomolgus monkey, 644
Arachidonic acid, effect on normal and dystrophic pigment epithelium in tissue culture, 553
Argon and krypton laser effects compared in retinal vessel photocoagulation, 418
Artery, ophthalmic, pressure indicated by pulsating vascular tree entoptic phenomenon, 564
Atrophy, gyrate, of choroid and retina in cat, 251
Autonomic control of lacrimal protein secretion, 110
Axon terminals, retinofugal and corticofugal, distribution in superior colliculus of squirrel monkey, 149

*January, pp. 1-138; February, pp. 139-284; March, pp. 285-424; April, pp. 425-568; May, pp. 569-704; June, pp. 705-836.

B

Basement membrane, corneal epithelial, changes in diabetes, 548
Biopsy, chorioretinal, in dogs, regeneration of retinal limiting membranes after, 246
Bitot's spots, clinical and electron microscopic observation of conjunctiva with, 632
Blinks, accompanied by visually evoked cortical potentials, 691
Blood-aqueous barrier in rabbit eye, effect of timolol maleate on disruption of, 726
-retinal barrier dysfunction, evaluation by electroretinogram changes after fluorescein injection, 272

C

Calcium-free medium and ionophores X537A and A23187, effects on corneal endothelial morphology, 497
CAM treatment for amblyopia, evaluated, 400
Cat(s) bearing uveal melanomas, serum antibodies against feline oncornavirus-associated cell membrane antigen in, 598
gyrate atrophy of choroid and retina in, 251
intraocular pressure, effects of selective β_1- and β_2-adrenoreceptor agonists and antagonists on, 69
light peak of DC electroretinogram not generated by change in extracellular potassium, 414
striate cortex, image movement and neurons in, 766
Cataracts, human, studies on. I. Evaluation of techniques of human cataract preservation after extraction, 327; II. Correlation between clinical description and light-scattering parameters of human cataracts, 334; III. Structural elements in nuclear cataracts and their contribution to turbidity, 348
Cell(s); *see also* specific cells
invasive, role in vitreal superoxide and superoxide dismutase after hemorrhagic injury, 435
-mediated and humoral immune responses to epidermal growth factor in rabbit, 86
proliferation in response to vitreous hemoglobin, 575
Cellular and humoral immune responses to lens antigens, dissociated, 32
immunity in Vogt-Koyanagi-Harada syndrome and pars planitis, 364
Chick, developing, penetration of horseradish peroxidase into optic nerve after vitreal or vascular injection in, 705
Chicken(s), retinal dystrophy associated with postnatal amelanosis in, 799
young, eyes of, growing toward emmetropia, 557
Chloride and sodium, inhibition of active transport by vanadate in cornea, 733
Cholera toxin, intraocular pressure and aqueous flow decreased by, 371
intravitreal, effects on adenosine 3′,5′-monophosphate, intraocular pressure, and outflow facility in rabbits, 410
Chorioretinal biopsy in dogs, regeneration of retinal limiting membranes after, 246
Choroid, malignant melanoma of abnormal electro-oculograms from eyes with, 276
and retina, gyrate atrophy in cat, 251
Chromatography, high-pressure liquid, of fatty acid esters of retinol isomers, analysis of retinyl esters stored in eye, 304
Ciliary body–iris, rabbit, inflamed, prostaglandin and thromboxane synthesis by microsomes of, 442
transport and metabolism of pyridoxine in, 450
muscle retrodisplacement in cynomolgus monkey, adrenergic drug effects on aqueous outflow facility after, 644
Circadian rhythms in teleost retinomotor movements, effects of circadian rhythm and light condition on cone length compared, 294
Clinical description of human cataracts correlated with light-scattering parameters, 334
Collagen, specific types, detection in normal and keratoconus corneas, 738
Concanavalin A: no effect on corneal graft reaction, 382
Cone(s) degeneration and light-reducing cyclic AMP levels; cyclic nucleotides of cone- dominant retinas, 24
-dominant retinas, cyclic nucleotides of; reduction of cyclic AMP levels by light and cone degeneration, 24
length, comparison of effects of circadian rhythm and light condition on, in teleost retinomotor movements, 294
and rod(s) ganzfeld electroretinograms, human, effect of age on, 392
lectin receptors visualized by fluorescent label, 8
Conjunctiva with Bitot's spots, clinical and electron microscopic observation of, 632
and skin-lash margin, method for enumeration and identification of bacteria from; quantitative ocular bacteriology, 751
Conjunctival-corneal uptake of topical ^{3}H-dexamethasone in rabbit eye, 120
Cornea(s), active transport of chloride and sodium, inhibited by vanadate, 733
guttata, endothelial function in, 77
human, in vivo diffusion of oxygen in, 123
normal and keratoconus, detection of specific collagen types in, 738
Corneal-conjunctival uptake of topical ^{3}H-dexamethasone in rabbit eye, 120

Corneal—cont'd.
deswelling inhibited during perfusion of fatty acids across rabbit corneal endothelium, 490
endothelial cells, automated, morphometric analysis of, 407
morphology, effects of ionophores X537A and A23187 and calcium-free medium on, 497
endothelium, contact clinical microscopy of; optical modifications to applanating objective cone, 816
derived from tissue culture, transplanted, morphology of, 467
rabbit, perfusion of fatty acids across, corneal deswelling inhibited during, 490
epithelial basement membrane changes in diabetes, 548
graft reaction, no effect of concanavalin A on, 382
inflammation in herpes simplex virus stromal keratitis, immunopathogenesis of; role of polymorphonuclear leukocyte, 784
re-epithelialization, effect of steroidal and nonsteroidal anti-inflammatory agents on, 688
wound healing, effects of growth factors on, 222
Cortical binocularity in strabismic monkeys raised in a unidirectional environment, failure to preserve, 665
potentials, visually evoked, accompanying blinks, 691
Corticofugal and retinofugal axon terminals, distribution in superior colliculus of squirrel monkey, 149
Corticosteroid therapy, immunologic parameters related to, in Graves' ophthalmopathy, 173
Crystallins, human lens, in vitro, effect of singlet oxygen on, 679
Cyclic adenosine monophosphate levels, reduction by light and cone degeneration; cyclic nucleotides of cone-dominant retinas, 24
in rabbits, effects of intravitreal cholera toxin, 410
nucleotides of cone-dominant retinas; reduction of cyclic AMP levels by light and cone degeneration, 24

D

Diabetes, corneal epithelial basement membrane changes in, 548
Diffusion of oxygen in human corneas in vivo, 123
Dinitrophenol perfusion, lacrimal gland flow and potentials during, 515
Dogs, regeneration of retinal limiting membranes after chorioretinal biopsy in, 246
Dystrophic pigment epithelium in tissue culture, effect of arachidonic acid on, 553
Dystrophy, retinal, associated with postnatal amelanosis in chicken, 799

E

Electro-oculograms, abnormal, from eyes with malignant melanoma of choroid, 276
Electroretinogram changes after fluorescein injection, new method to evaluate blood-retinal barrier dysfunction, 272
DC, cat, light peak not generated by change in extracellular potassium, 414
ganzfeld, human cone and rod, effect of age on, 392
Emmetropia, eyes of young chickens growing toward, 557
Emmetropization: vision-dependent phenomenon, 561
Endothelial function in cornea guttata, 77
Endothelium, corneal; *see* Corneal endothelium
Entoptic phenomenon, pulsating vascular tree, as indicator of ophthalmic artery pressure, 564
Enzyme, angiotensin-converting, activity in ocular fluids, 255
Epidermal growth factor, humoral and cell-mediated immune responses in rabbit, 86
Epithelium, ocular, secretory component of IgA as marker for differentiation of, 100
pigment; *see* Pigment epithelium
Esters, retinyl, stored in eye, analysis by high-pressure liquid chromatography of fatty acid esters of retinol isomers, 304
Ethacrynic acid perfusion, lacrimal gland flow and potentials during, 515
Exotropia, alternating, temporal course of switch in suppression in, 129
Eye(s), distribution and half-life of intravitreally injected gentamicin in rabbits, effect of inflammation and pigmentation on, 593
epithelium of, secretory component of IgA as marker for differentiation of, 100
fluids, angiotensin-converting enzyme activity in, 255
hypertension and glaucoma in, specific deficits of flicker sensitivity in, 204
infection, acute, induced by drug-resistant strains of HSV-1, assessment of acyclovir on, 230
low rigidity of in osteogenesis imperfecta, 807
with malignant melanoma of choroid, abnormal electro-oculograms from, 276
quantitative bacteriology of; method for enumeration and identification of bacteria from skin-lash margin and conjunctiva, 751
rabbit; *see* Rabbit eye
retinyl esters stored in, analysis by high-pressure liquid chromatography of fatty acid esters of retinol isomers, 304

Eye(s)—cont'd.
of young chickens growing toward emmetropia, 557

F

Fatty acid(s) esters of retinol isomers, high-pressure liquid chromatography of, analysis of retinyl esters stored in eye, 304
perfused across rabbit corneal endothelium, corneal deswelling inhibited during, 490
Flicker; decay effect after light deprivation, 809
sensitivity in glaucoma and ocular hypertension, specific deficits of, 204
Fluorescein injection, electroretinogram changes after, to evaluate blood-retinal barrier dysfunction, 272
Fluorescence intensity profile of human lens sections, 117
Fluorescent label for visualizing lectin receptors of rods and cones, 8
light, broad-spectrum, damage to monkey retina by, 425

G

Ganglion cell(s) distribution in mouse retina, 285
retinal, and normal patterns of retinogeniculate projections, preservation in prosimian primates with long-term ablations of striate cortex, 139
Ganzfeld electroretinograms, human cone and rod, effect of age on, 392
Gentamicin, intraocular penetration of, after subconjunctival injection in rabbit, difficulty of determining route of, 509
intravitreal injection in rabbits; effect of inflammation and pigmentation on half-life and ocular distribution, 593
Glaucoma and ocular hypertension, specific deficits of flicker sensitivity in, 204
Glaucomatous globes, tonometry in, 683
Glycolysis control in rat lens, age and, 457
Graft, corneal, reaction, no effect of concanavalin A on, 382
Graves' ophthalmopathy, immunologic parameters related to corticosteroid therapy, 173
Growth factor(s), effects on corneal wound healing, 222
epidermal, in rabbit, humoral and cell- mediated immune responses to, 86
Gyrate atrophy of choroid and retina in cat, 251

H

^{3}H-dexamethasone, topical, corneal-conjunctival uptake in rabbit eye, 120
Hemoglobin, vitreous, cell proliferation in response to, 575
retinal proliferation in response to, 582
Hemorrhagic injury, vitreal superoxide and superoxide dismutase after: role of invasive cells, 435
Herpes simplex virus, drug-resistant strains of, assessment of acyclovir effect on acute ocular infection induced by, 230
stromal keratitis, immunopathogenesis of corneal inflammation in; role of polymorphonuclear leukocyte, 784
Heterozygous females, reduced rod flicker sensitivity in; X-linked retinitis pigmentosa, 812
Histologic and ultrastructural investigations of meibomian glands, 537
HSV-1; *see* Herpes simplex virus
Human cataracts, studies on. I. Evaluation of techniques of human cataract preservation after extraction, 327; II. Correlation between clinical description and light-scattering parameters of human cataracts, 334; III. Structural elements in nuclear cataracts and their contribution to turbidity, 348
cone and rod ganzfeld electroretinograms, effect of age on, 392
corneas, in vivo diffusion of oxygen in, 123
keratocyte cultures, phagocytic properties of, 481
lens crystallins in vitro, effect of singlet oxygen on, 679
sections, fluorescence intensity profile of, 117
sorbitol pathway in: aldose reductase and polyol dehydrogenase, 314
and steer lipids compared: meibomian gland studies, 522
subjects, normal, extraocular muscle forces in, 652
Humoral and cell-mediated immune responses to epidermal growth factor in rabbit, 86
and cellular, dissociated, to lens antigens, 32
immunity in Vogt-Koyanagi-Harada syndrome and pars planitis, 364
Hypertension, ocular, and glaucoma, specific deficits of flicker sensitivity in, 204

I

Image movement and neurons in cat striate cortex, 766
Immune responses, deviant, to allogeneic tumors injected intracamerally and subcutaneously in mice, 355
humoral and cell-mediated, to epidermal growth factor in rabbit, 86
and cellular, dissociated, to lens antigens, 32
Immunity, humoral and cellular, in Vogt- Koyanagi-Harada syndrome and pars planitis, 364

Immunoglobulin A, secretory component of, as marker for differentiation of ocular epithelium, 100
Immunologic parameters related to corticosteroid therapy in Graves' ophthalmopathy, 173
Infection, ocular, acute, induced by drug-resistant strains of HSV-1, assessment of acyclovir on, 230
Inflammation, corneal, in herpes simplex virus stromal keratitis, immunopathogenesis of; role of polymorphonuclear leukocyte, 784
and pigmentation, effect on half-life and ocular distribution; intravitreal injection of gentamicin in rabbits, 593
Intraocular effects of substance P in rabbits, 53
penetration of gentamicin after subconjunctival injection in rabbit, difficulty of determining route of, 509
pressure and aqueous flow decreased by cholera toxin, 371
in cat, effects of selective β_1- and β_2- adrenoreceptor agonists and antagonists on, 69
effect in Schlemm's canal, 61
in rabbits, effects of intravitreal cholera toxin on, 410
Iodacetamide perfusion, effect on outflow facility and metabolism of trabecular meshwork, 625
Ionophores X537A and A23187 and calcium-free medium, effects on corneal endothelial morphology, 497
Iris–ciliary body, rabbit, inflamed, prostaglandin and thromboxane synthesis by microsomes of, 442
transport and metabolism of pyridoxine in, 450
rabbit, isolated, miotic effect of substance P on, 47
Isomers, retinol, fatty acid esters of, high-pressure liquid chromatography of, analysis of retinyl esters stored in eye, 304

K

Keratitis, *Pseudomonas*, experimental, in rabbits, 213
stromal, herpes simplex virus, immunopathogenesis of corneal inflammation in; role of polymorphonuclear leukocyte, 784
Keratocyte cultures, human, phagocytic properties of, 481
Krypton and argon laser effects compared in retinal vessel photocoagulation, 418

L

Lacrimal gland flow and potentials during dinitrophenol, ouabain, and ethacrynic acid perfusion, 515
Lacrimal—cont'd.
protein secretion, autonomic control of, 110
Laser, argon and krypton, effects on retinal vessel photocoagulation compared, 418
Lectin(s) agglutinating isolated rod outer segments, 17
receptors of rods and cones visualized by fluorescent label, 8
Lens antigens, humoral and cellular immune responses to, dissociated, 32
crystallins, human, in vitro, effect of singlet oxygen on, 679
human, sorbitol pathway in: aldose reductase and polyol dehydrogenase, 314
rat, age and control of glycolysis in, 457
effect of ouabain on volume regulation in, 40
sections, human, fluorescence intensity profile of, 117
Lesions, actinic retinal, additivity and repair of, 803
Leukocyte, polymorphonuclear, role in immunopathogenesis of corneal inflammation in herpes simplex virus stromal keratitis, 784
Light condition and circadian rhythm, effects on cone length compared in teleost retinomotor movements, 294
and cone degeneration reducing cyclic AMP levels; cyclic nucleotides of cone-dominant retinas, 24
deprivation, decay effect after; flicker, 809
fluorescent, broad-spectrum, damage to monkey retina by, 425
moderate-intensity, effects on vitamin A deficient rat retinas, 569
peak of cat DC electroretinogram not generated by change in extracellular potassium, 414
-scattering parameters and clinical description of human cataracts, correlated, 334

M

Macaca nemestrina; see Monkey(s), *Macaca nemestrina*
Macrophages, rat, exhibiting normal rod outer segment phagocytosis, 675
Man; *see* Human
Meibomian gland studies: comparison of steer and human lipids, 522; histologic and ultrastructural investigations, 537
Melanoma, malignant, of choroid, abnormal electro-oculograms from eyes with, 276
uveal, feline, induced with feline sarcoma virus, 606
serum antibodies against feline oncornavirus-associated cell membrane antigen in cats bearing, 598
Membranes, limiting, retinal, regeneration of, after chorioretinal biopsy in dogs, 246
Metabolic pathways required for phagocytosis in pigment epithelial cells in culture, 1

Metabolism and outflow facility of trabecular meshwork, effect of iodacetamide perfusion on, 625
and transport of pyridoxine in rabbit iris–ciliary body, 450
Mice, deviant immune responses to allogeneic tumors injected intracamerally and subcutaneously in, 355
Microsomes of inflamed rabbit ciliary body–iris, prostaglandin and thromboxane synthesis by, 442
Miotic effect of substance P on isolated rat iris, 47
Monkey(s), cynomolgus, adrenergic drug effects on aqueous outflow facility after ciliary muscle retrodisplacement in, 644
Macaca nemestrina, naturally occurring strabismus in, 257
retina, damage from broad-spectrum fluorescent light, 425
squirrel, distribution of retinofugal and corticofugal axon terminals in superior colliculus of, 149
strabismic, raised in a unidirectional environment, failure to preserve cortical binocularity in, 665
Monocular spatial distortion in strabismic amblyopia, 263
Morphology, corneal endothelial, effects of ionophores X537A and A23187 and calcium-free medium on, 497
of transplanted corneal endothelium derived from tissue culture, 467
Morphometric analysis, automated, of corneal endothelial cells, 407
Muscle forces, extraocular, in normal human subjects, 652

N

Nerve, optic, penetration of horseradish peroxidase into after vitreal or vascular injection in developing chick, 705
Neural mechanisms concerned with movement processing involved in amblyopic abnormality, 695
Neuritis, optic, allergic, chronic experimental, 159
Neurons and image movement in cat striate cortex, 766
Nonisotonic solutions, effect on tear film osmolality, 236
Nuclear cataracts, human, contribution of structural elements to turbidity, 348
Nucleotides, cyclic, of cone-dominant retinas, reduction of cyclic AMP levels by light and cone degeneration, 24

O

Ocular; *see* Eye
Oncornavirus-associated cell membrane antigen in cats bearing virally induced uveal melanomas, serum antibodies against, 598
Ophthalmic artery pressure, pulsating vascular tree entoptic phenomenon as indicator of, 564
Ophthalmopathy, Graves', immunologic parameters related to corticosteroid therapy, 173
Optic nerve, penetration of horseradish peroxidase into after vitreal or vascular injection in developing chick, 705
neuritis, allergic, chronic experimental, 159
Optical modifications to applanating objective cone; contact clinical microscopy of corneal endothelium, 816
Osteogenesis imperfecta, low ocular rigidity in, 807
Ouabain, effect on volume regulation in rat lens, 40
perfusion, lacrimal gland flow and potentials during, 515
Outflow facility in rabbits, effects of intravitreal cholera toxin on, 410
Oxygen, in vivo diffusion in human corneas, 123
singlet, effects on human lens crystallins in vitro, 679

P

Pars planitis and Vogt-Koyanagi-Harada syndrome, humoral and cellular immunity in, 364
Perfusion of dinitrophenol, ouabain, and ethacrynic acid, lacrimal gland flow and potentials during, 515
of fatty acids across rabbit corneal endothelium, corneal deswelling inhibited during, 490
Peroxidase, horseradish, penetration into optic nerve after vitreal or vascular injections in developing chick, 705
Phagocytic properties of human keratocyte cultures, 481
Phagocytosis, metabolic pathways required in pigment epithelial cells in culture, 1
normal rod outer segment, exhibited by rat macrophages, 675
Photocoagulation, retinal vessel, argon and krypton laser effects compared, 418
Photoreceptor characteristics in congenic strains of RCS rats, 671
Pigment epithelium cells in culture, metabolic pathways required for phagocytosis in, 1
normal and dystrophic, in tissue culture, effect of arachidonic acid on, 553
retinal–uvea interface in man, pigment kinetics in abnormalities of, 183
visual, kinetics in abnormalities of uvea–retinal epithelium interface in man, 183
Pigmentation and inflammation, effect on half-life and ocular distribution; intravitreal injection of gentamicin in rabbits, 593

Polymorphonuclear leukocyte, role in immunopathogenesis of corneal inflammation in herpes simplex virus stromal keratitis, 784
Polyol dehydrogenase and aldose reductase: sorbitol pathway in human lens, 314
Postnatal amelanosis in chicken, retinal dystrophy associated with, 799
Potassium, extracellular, light peak of cat DC electroretinogram not generated by change in, 414
Primates, prosimian, with long-term ablations of striate cortex, preservation of retinal ganglion cells and normal patterns of retinogeniculate projections in, 139
Prostaglandin and thromboxane synthesis by microsomes of inflamed rabbit ciliary body–iris, 442
Protein lacrimal, autonomic control of secretion of, 110
Pseudomonas keratitis, in rabbit, 213
Pulsating vascular tree entoptic phenomenon as indicator of ophthalmic artery pressure, 564
Pupillary sphincter, in vitro contraction by substance P and its stable analogs, 717
Pyridoxine, transport and metabolism of, in rabbit iris–ciliary body, 450

R

Rabbit(s) adenosine 3′,5′-monophosphate, intraocular pressure, and outflow facility, effects of intravitreal cholera toxin on, 410
ciliary body–iris, inflamed, prostaglandin and thromboxane synthesis by microsomes of, 442
transport and metabolism of pyridoxine in, 450
corneal endothelium, perfusion of fatty acids across, corneal deswelling inhibited during, 490
experimental *Pseudomonas* keratitis in, 213
eye, corneal-conjunctival uptake of topical ^{3}H-dexamethasone in, 120
effect of timolol maleate on disruption of blood-aqueous barrier in, 726
humoral and cell-mediated immune responses to epidermal growth factor in, 86
intraocular effects of substance P in, 53
intraocular penetration of gentamicin after subconjunctival injection in, difficulty of determining route, 509
intravitreal injection of gentamicin in; effect of inflammation and pigmentation on half-life and ocular distribution, 593
iris, isolated, miotic effect of substance P on, 47
Rat(s) lens, age and control of glycolysis in, 457
effect of ouabain on volume regulation in, 40
Rat(s)—cont'd.
macrophages exhibit normal rod outer segment phagocytosis, 675
RCS, congenic strains of, photoreceptor characteristics in, 671
retinas, vitamin A–deficient, effects of moderate-intensity light on, 569
Refractive error and accommodation responses, 387
Retina(s) and choroid, gyrate atrophy in cat, 251
cone-dominant, cyclic nucleotides of; reduction of cyclic AMP levels by light and cone degeneration, 24
monkey, damage from broad-spectrum fluorescent light, 425
mouse, ganglion cell distribution in, 285
rat, vitamin A-deficient, effects of moderate-intensity light on, 569
Retinal dystrophy associated with postnatal amelanosis in chicken, 799
epithelium–uvea interface in man, visual pigment kinetics in abnormalities of, 183
ganglion cells and normal patterns of retinogeniculate projections, preservation in prosimian primates with long-term ablations of striate cortex, 139
lesions, actinic, additivity and repair of, 803
limiting membranes, regeneration of, after chorioretinal biopsy in dogs, 246
proliferation in response to vitreous hemoglobin, 582
vessel photocoagulation: argon and krypton laser effects compared, 418
Retinitis pigmentosa, relationship between visual sensitivity and rhodopsin density in, 758
X-linked; reduced rod flicker sensitivity in heterozygous females, 812
Retinofugal and corticofugal axon terminals, distribution in superior colliculus of squirrel monkey, 149
Retinogeniculate projections, normal patterns preserved in prosimian primates with long- term ablations of striate cortex, 139
Retinol isomers, fatty acid esters of, high-pressure liquid chromatography of, analysis of retinyl esters stored in eye, 304
Retinomotor movements, teleost, effects of circadian rhythms and light condition on cone length compared, 294
Retinyl esters stored in eye, analysis by high-pressure liquid chromatography of fatty acid esters of retinol isomers, 304
Rhodopsin density and visual sensitivity in retinitis pigmentosa, relationship between, 758
Rod(s) and cone ganzfeld electroretinograms, human, effect of age on, 392

Rod(s)—cont'd.
lectin receptors visualized by fluorescent label, 8
flicker sensitivity, reduced, in heterozygous females; X-linked retinitis pigmentosa, 812
outer segment(s), isolated, agglutination by lectins, 17
phagocytosis, normal, exhibited by rat macrophages, 675

S

Sarcoma virus, feline uveal melanoma induced with, 606
Schlemm's canal, effect of intraocular pressure, 61
Skin-lash margin and conjunctiva, method for enumeration and identification of bacteria from; quantitative ocular bacteriology, 751
Sodium and chloride, inhibition of active transport by vanadate in cornea, 733
Sorbitol pathway in human lens: aldose reductase and polyol dehydrogenase, 314
Spatial distortion, monocular, in strabismic amblyopia, 263
Specular microscopy, contact clinical, of corneal endothelium; optical modifications to applanating objective cone, 816
Square wave jerks, normal, 268
Squirrel monkey; *see* Monkey, squirrel
Steer and human lipids compared in meibomian gland, 522
Steroidal and nonsteroidal anti-inflammatory agents, effect on corneal re-epithelialization, 688
Strabismic amblyopia, monocular spatial distortion in, 263
monkeys raised in a unidirectional environment, failure to preserve cortical binocularity in, 665
Strabismus, naturally occurring, in monkeys (*Macaca nemestrina*), 257
Striate cortex, cat, image movement and neurons in, 766
long-term ablations of, preservation of retinal ganglion cells and normal patterns of retinogeniculate projections in prosimian primates with, 139
Stromal keratitis, herpes simplex virus, immunopathogenesis of corneal inflammation in; role of polymorphonuclear leukocyte, 784
Subconjunctival injection in rabbit, intraocular penetration of gentamicin after, difficulty of determining route of, 509
Substance P, intraocular effects in rabbit, 53
miotic effect on isolated rabbit iris, 47
and its stable analogs, in vitro contraction of pupillary sphincter by, 717
Superior colliculus, squirrel monkey, distribution of retinofugal and corticofugal axon terminals in, 149
Superoxide and superoxide dismutase, vitreal, after hemorrhagic injury: role of invasive cells, 435
Suppression in alternating exotropia, temporal course of switch, 129

T

Tear film osmolality, effect of nonisotonic solutions on, 236
Teleost retinomotor movements, effects of circadian rhythms and light condition on cone length compared, 294
Thromboxane and prostaglandin synthesis by microsomes of inflamed rabbit ciliary body–iris, 442
Timolol maleate, effect on disruption of blood-aqueous barrier in rabbit eye, 726
Tissue culture, corneal endothelium derived from, transplanted, morphology of, 467
normal and dystrophic pigment epithelium in, effect of arachidonic acid on, 553
Tonography, constant-area applanation, 722
Tonometry in glaucomatous globes, 683
Trabecular meshwork, effect of iodacetamide perfusion on outflow facility and metabolism of, 625
Transplanted corneal endothelium derived from tissue culture, morphology of, 467
Transport and metabolism of pyridoxine in rabbit ciliary body–iris, 450
Tumors, allogeneic, injected intracamerally and subcutaneously in mice, deviant immune responses to, 355

U

Ultrastructural and histologic investigations of meibomian glands, 537
Uvea–retinal epithelium interface in man, abnormalities of, visual pigment kinetics in, 183
Uveal melanoma model, feline, induced with feline sarcoma virus, 606
virally induced, serum antibodies against feline oncornavirus-associated cell membrane antigen in cats bearing, 598

V

Vanadate in cornea, inhibition of active transport of chloride and sodium by, 733
Vascular tree, pulsating, entoptic phenomenon as indicator of ophthalmic artery pressure, 564
VECP: *see* Visual evoked cortical potential
Virus, herpes simplex, stromal keratitis, immunoptahogenesis of corneal inflammation in; role of polymorphonuclear leukocyte, 784

Virus—cont'd.
sarcoma, feline uveal melanoma model induced with, 606
Vision-dependent phenomenon: emmetropization, 561
Visual evoked cortical potentials accompanying blinks, 691
early wavelets in, 125
pigment kinetics in abnormalities of uvea–retinal epithelium interface in man, 183
sensitivity and rhodopsin density in retinitis pigmentosa, relationship between, 758
Vitamin A–deficient rat retinas, effects of moderate-intensity light on, 569
Vitreal superoxide and superoxide dismutase after hemorrhagic injury: role of invasive cells, 435
Vitreous hemoglobin, cell proliferation in response to, 575
retinal proliferation in response to, 582
Vogt-Koyanagi-Harada syndrome and pars planitis, humoral and cellular immunity in, 364
Volume regulation in rat lens, effect of ouabain on, 40

W

Wavelets, early, in visual evoked cortical potential, 125
Wound healing, corneal, effects of growth factors on, 222

X

X537A; *see* Ionophores X537A and A23187

Investigative Ophthalmology & Visual Science

A Journal of Clinical and Basic Research

EDITOR-IN-CHIEF

Alan M. Laties

GENERAL EDITORS

CHRISTINA ENROTH-CUGELL
Evanston

MORTON F. GOLDBERG
Chicago

ANTHONY B. NESBURN
Los Angeles

VENKAT REDDY
Rochester, Michigan

ROY H. STEINBERG
San Francisco

BARBARA W. STREETEN
Syracuse

MARK T'SO
Chicago

SECTION EDITORS

Anatomy
MATTHEW LaVAIL
San Francisco

Biochemistry
GERALD J. CHADER
Bethesda

Central connections
ANITA E. HENDRICKSON
Seattle

Clinical retina
ROBERT N. FRANK
Detroit

Cornea and external diseases
JULES BAUM
Boston
JOHN W. CHANDLER
Seattle

Glaucoma
DOUGLAS R. ANDERSON
Miami

Immunology
ARTHUR SILVERSTEIN
Baltimore

Lens
LEO T. CHYLACK, JR.
Boston

JOSEPH HORWITZ
Los Angeles

Ocular motor
ALBERT F. FUCHS
Seattle

Pathology
FREDERICK A. JAKOBIEC
New York

Pharmacology
ARTHUR H. NEUFELD
Boston

Physiology
ROBERT RODIECK
Seattle

Psychophysics
E. N. PUGH, JR.
Philadelphia

MANAGING EDITOR

BETTY B. MOORHEAD

Publishers *The C. V. Mosby Company* *St. Louis*

Volume 21 December 1981

Volume 21
Copyright © 1981 by

The Association for Research in Vision and Ophthalmology

All rights reserved
Printed in the United States of America

Index to volume 21

Author index*

A

Abrahams IW: *see* Gregerson et al, 669
Aguirre GD: *see* Bellhorn et al, 771
Alder VA, Constable IJ: Effect of hypoxia on maintained firing rate of retinal ganglion cells, 450
Alvarado JA, Gospodarowicz D, Greenberg G: Corneal endothelial replacement. I. In vitro formation of an endothelial monolayer, 300
—, Murphy C, Polansky J, Juster R: Age-related changes in trabecular meshwork cellularity, 714
—*see* Weinreb et al, 403
Anderson DH, Stern WH, Fisher SK, Erickson PA, Borgula GA: Onset of pigment epithelial proliferation after retinal detachment, 10
Anderson RE, Hollyfield JG, Verner GE: Regional effects of sodium aspartate and sodium glutamate on protein synthesis in retina, 554
—*see* Prager et al, 854
Andrews DM: *see* McCarey and Andrews, 107
Andrews JS, Leonard-Martin T: Total lipid and membrane lipid analysis of normal animal and human lenses, 39
Anhalt G: *see* Cowen et al, 879
Applegate RA, Bonds AB: Induced movement of receptor alignment toward a new pupillary aperture, 869
Avery G: *see* Prager et al, 854

B

Bahill AT, Brockenbrough A, Troost BT: Variability and development of a normative data base for saccadic eye movements, 116
Bakos I: *see* Rodrigues et al, 759
Baxter JD: *see* Weinreb et al, 403
Bellhorn RW: Permeability of blood-ocular barriers of neonatal and adult cats to fluorescein-labeled dextrans of selected molecular sizes, 282
—, King CD, Aguirre GD, Ripps H, Siegel IM, Tsai HC: Pigmentary abnormalities of the macula in rhesus monkeys, clinical observations, 771
—, Lipman DA, Confino J, Burns MS: Effect of monosodium glutamate on retinal vessel development and permeability in rats, 237
Bergamini MVW: *see* Duffin et al, 756
Bernardini G, Peracchia C: Gap junction crystallization in lens fibers after an increase in cell calcium, 291
Berson EL, Watson G, Grasse KL, Szamier RB: Retinal degeneration in cats fed casein. IV. The early receptor potential, 345
—*see* Sandberg et al, 765
Bloom E: *see* Weinreb et al, 403
Boldt C: *see* Owsley et al, 362
Bonds AB: *see* Applegate and Bonds, 869
Boothe RG: *see* Williams and Boothe, 728
Borgula GA: *see* Anderson et al, 10
Bowman KA: *see* Green et al, 586
Bradley A, Freeman RD: Contrast sensitivity in anisometropic amblyopia, 467
Brecha NC: *see* Laties et al, 484
Brick DC, Oh JO, Sicher SE: Ocular lesions associated with dissemination of type 2 herpes simplex virus from skin infection in newborn rabbits, 681
Brockenbrough A: *see* Bahill et al, 116
Brubaker RF: *see* Lee et al, 805
—*see* Palestine and Brubaker, 542
Burch KD: *see* Kwon et al, 442
Burns MS: *see* Bellhorn et al, 237
Burton GD, Hill RM: Aerobic responses of the cornea to ophthalmic preservatives, measured in vivo, 842

C

Calkins JL, Hochheimer BF, Stark WJ: Corneal wound healing: holographic stress-test analysis, 322
Char DH: *see* Stein et al, 550
Cheng H, Chylack L, von Saltza I: Supplementing glucose metabolism in human senile cataracts, 812
Christensen RE: *see* Duffin et al, 756
Church RL, SundarRaj N, Rohrbach DH: Gene mapping of human ocular connective tissue proteins. Assignment of structural gene for corneal type I procollagen to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids, 73
Chylack L: *see* Cheng et al, 812
Confino J: *see* Bellhorn et al, 237
Constable IJ: *see* Alder and Constable, 450
Cowen SJ, Anhalt G, Wicha M, Sugar A, Labib R, Diaz L: Distribution of pemphigus and pemphigoid antigens, laminin, and type IV collagen in corneal epithelium, 879
Crawford MLJ: *see* von Noorden and Crawford, 142
Crewther DP, Crewther SG, Mitchell DE: The efficacy of brief periods of reverse occlusion in promoting recovery from the physiological effects of monocular deprivation in kittens, 357

*July, pp. 1-226; August, pp. 227-368; September, pp. 369-498; October, pp. 499-630; November, pp. 631-770; December, pp. 771-908.

Crewther SG: *see* Crewther et al, 357
Cunha-Vaz JG: *see* Zeimer and Cunha-Vaz, 865

D

Dagnelie G: *see* van der Marel et al, 457
Dawson C: *see* Malaty et al, 833
—*see* Taylor et al, 422
deBack J: *see* Kwon et al, 442
de Bruin J: *see* Radius and de Bruin, 745
Diabetic Retinopathy Study Research Group: Diabetic Retinopathy Study. Report 6, 149; Report 7, 210
Diaz L: *see* Cowen et al, 879
Dineen JT, Hendrickson AE: Age-correlated differences in amount of retinal degeneration after striate cortex lesions in monkeys, 749
Dockstader J: *see* Horwitz et al, 616
Dougherty RM: *see* Streeten et al, 130
Dressler M, Rassow B: Neural contrast sensitivity measurements with a laser interference system for clinical and screening application, 737
Duffin RM, Christensen RE, Bergamini MVW: Suppression of adrenergic adaptation in eye with prostaglandin synthesis inhibitor, 756
Dunkel EC: *see* Green and Dunkel, 882

E

Eckmiller MS, Steinberg RH: Localized depigmentation of retinal pigment epithelium and macrophage invasion of retina in bullfrog, 369
Edwards RB: *see* Effron et al, 611
Effron JT, Szamier RB, Edwards RB: Selective phagocytosis of liposomes by cultured RCS rat pigment epithelium, 611
Ekins MB: *see* Roth et al, 95
Epstein RJ, Hughes WF: Lymphocyte-induced corneal neovascularization: a morphologic assessment, 87
Erickson PA: *see* Anderson et al, 10

F

Fagerholm PP, Philipson BT: Human lens epithelium in normal and cataractous lenses, 408
Fatt I: *see* Kleinstein et al, 415
Fenselau A: *see* Fournier et al, 351
Fiorentini A, Maffei L, Pirchio M, Spinelli D, Porciatti V: The ERG in response to alternating gratings in patients with diseases of the peripheral visual pathways, 490
Fisher SK: *see* Anderson et al, 10
Flynn JT: *see* Hamasaki and Flynn, 846
Fournier GA, Lutty GA, Watt S, Fenselau A, Patz A: Corneal micropocket assay for angiogenesis in rat eye, 351
Freeman RD: *see* Bradley and Freeman, 467
Friend J, Kiorpes TC, Thoft RA: Diabetes mellitus and rabbit corneal epithelium, 317
—*see* Kinoshita et al, 434
—*see* Shapiro et al, 135
Fulton AB: *see* Hansen and Fulton, 625
Futa R: *see* Lütjen-Drecoll et al, 563
—*see* Rohen et al, 574

G

Galin MA, Salamone JC, Olson AP, Tuberville AW: Chemical effects of alkali on polymethylmethacrylate intraocular lenses, 354
Gangarosa LP: *see* Kwon et al, 442
Garcia C: *see* Prager et al, 854
Glonek T: *see* Greiner et al, 700
Gospodarowicz D: *see* Alvarado et al, 300
Grasse KL: *see* Berson et al, 345
Green K, Simon S, Kelly GM Jr, Bowman KA: Effects of $[Na^+]$, $[Cl^-]$, carbonic anhydrase, and intracellular pH on corneal endothelial bicarbonate transport, 586
Green MT, Dunkel EC: Quantitation of herpes simplex virus in vitro and in preocular tear film, 882
Greenburg G: *see* Alvarado et al, 300
Gregerson DS, Abrahams IW, Thirkill CE: Serum antibody levels of uveitis patients to bovine retinal antigens, 669
Greiner JV, Kopp SJ, Sanders DR, Glonek T: Organophosphates of the crystalline lens: a nuclear magnetic resonance spectroscopic study, 700
Grunwald JE: *see* Riva et al, 34
Guillery RW, Hickey TL, Spear PD: Do blue-eyed white cats have normal or abnormal retinofugal pathways, 27
Gupta LM: *see* Roth et al, 95
Guy J: *see* Rao et al, 606

H

Hackett J: *see* Rodrigues et al, 759
Hall JM, Pribnow JF: Topical ocular immunization of rabbits, 753
Hamasaki DI, Flynn JT: Amblyopic eyes have longer reaction times, 846
Hampton DR: *see* Kertesz and Hampton, 600
Hansen RM, Fulton AB: Behavioral measurement of background adaptation in infants, 625
Harding GFA: *see* Rubinstein and Harding, 335
Hayes SA: *see* Pfister et al, 80
Hayreh SS: Experimental allergic encephalomyelitis. II. Retinal and other ocular manifestations, 270
—, Massanari RM, Yamada T, Hayreh SMS: Experimental allergic encephalomyelitis. I. Optic nerve and central nervous system manifestations, 256
Hayreh SMS: *see* Hayreh et al, 256

Hendrickson AE: *see* Dineen and Hendrickson, 749
Hickey TL: *see* Guillery et al, 27
Hill JM: *see* Kwon et al, 442
Hill RM: *see* Burton and Hill, 842
Hochheimer BF: *see* Calkins et al, 322
Hollyfield JG: On presentation of the Friedenwald Award in Ophthalmology to Matthew M. LaVail, 632
—*see* Anderson et al, 554
Honda Y, Negi A, Kawano S-i: Ion movement in and out of vitreous space after vitrectomy. An experimental study on in vivo eyecup preparation of rabbits, 126
Hopen G: *see* Prager et al, 854
Horwitz J, Neuhaus R, Dockstader J: Analysis of microdissected cataractous human lenses, 616
—*see* Zigler and Horwitz, 46
Hughes WF: *see* Epstein and Hughes, 87

J

Jagadeesh JM, Sanchez R: Effects of apomorphine on rabbit electroretinogram, 620
Juster R: *see* Alvarado et al, 714

K

Kaplan MW: Light cycle–dependent axial variations in frog rod outer segment structure, 395
Kawano S-i: *see* Honda et al, 126
Kelly GM Jr: *see* Green et al, 586
Kertesz AE, Hampton DR: Fusional response to extrafoveal stimulation, 600
King CD: *see* Bellhorn et al, 771
Kinoshita S, Friend J, Thoft RA: Sex chromatin of donor corneal epithelium in rabbits, 434
Kiorpes TC: *see* Friend et al, 317
Kleinstein RN, Kwan M, Fatt I, Weissman BA: In vivo aqueous humor oxygen tension—as estimated from measurements on bare stroma, 415
Kommerell G: Unilateral internuclear ophthalmoplegia. The lack of inhibitory involvement in medial rectus muscle activity, 592
Kopp SJ: *see* Greiner et al, 700
Kuwabara T: *see* Latker and Kuwabara, 689
Kwan M: *see* Kleinstein et al, 415
Kwon BS, Gangarosa LP, Burch KD, deBack J, Hill JM: Induction of ocular herpes simplex virus shedding by iontophoresis of epinephrine into rabbit cornea, 442

L

Labib R: *see* Cowen et al, 879
Lan N: *see* Weinreb et al, 403
Laties AM, Stone RA, Brecha NC: Substance P–like immunoreactive nerve fibers in the trabecular meshwork, 484
Latker CC, Kuwabara T: Regression of tunica vasculosa lentis in postnatal rat, 689
LaVail MM: Remarks on acceptance of the Friedenwald Memorial Award, 634
—Analysis of neurological mutants with inherited retinal degeneration (Friedenwald Lecture), 638
—, Pinto LH, Yasumura D: The interphotoreceptor matrix in rats with inherited retinal dystrophy, 658
Lee DA, Brubaker RF, Nagataki S: Effect of thymoxamine on aqueous humor formation in normal human eye as measured by fluorophotometry, 805
Leonard-Martin T: *see* Andrews and Leonard-Martin, 39
Leure-duPree AE: Electron-opaque inclusions in the rat retinal pigment epithelium after treatment with chelators of zinc, 1
Licari PA: *see* Streeten et al, 130
Lipman DA: *see* Bellhorn et al, 237
Livni N: *see* Zauberman and Livni, 248
Lönnerholm G: *see* Lütjen-Drecoll and Lönnerholm, 782
Lütjen-Drecoll E, Futa R, Rohen JW: Ultrahistochemical studies on tangential sections of trabecular meshwork in normal and glaucomatous eyes, 563
—, Lönnerholm G: Carbonic anhydrase distribution in the rabbit eye by light and electron microscopy, 782
—*see* Rohen et al, 574
Lutty GA: *see* Fournier et al, 351
Lyon C: *see* Malaty et al, 833

M

Maffei L: *see* Fiorentini et al, 490
Magnussen S: *see* Skottun et al, 877
Malaty R, Dawson C, Wong I, Lyon C, Schachter J: Serum and tear antibodies to *Chlamydia* after reinfection with guinea pig inclusion conjunctivitis agent, 833
Marucci AA: *see* Streeten et al, 130
Massanari RM: *see* Hayreh et al, 256
Maurice D: On presentation of the Proctor Medal of the Association for Research in Vision and Ophthalmology to Saiichi Mishima, 500
McCarey BE, Andrews DM: Refractive keratoplasty with intrasomal hydrogel lenticular implants, 107
Merigan WH, Pasternak T, Zehl D: Spatial and temporal vision of macaques after central retinal lesions, 17
Merritt J: *see* Prager et al, 854
Mishima S: Remarks on acceptance of the Proctor Award, 501
—Clinical pharmacokinetics of the eye, (Proctor Lecture), 504

Mitchell DE: *see* Crewther et al, 357
Murphy C: *see* Alvarado et al, 714

N

Nagataki S: *see* Lee et al, 805
Nathanson JA: Human ciliary process adrenergic receptor: pharmacological characterization, 798
Negi A: *see* Honda et al, 126
Nesburn AB: *see* Trousdale and Nesburn, 826
Neuhaus R: *see* Horwitz et al, 616
Nicolaro ML: *see* Pfister et al, 486
Nordby J: *see* Skottun et al, 877

O

O'Donnell J: *see* Weinreb et al, 403
Oh JO: *see* Brick et al, 681
Olson AP: *see* Galin et al, 354
Owsley C, Sekuler R, Boldt C: Aging and low-contrast vision: face perception, 362

P

Palestine AG, Brubaker RF: Pharmacokinetics of fluorescein in vitreous, 542
Pasternak T: *see* Merigan et al, 17
Paterson CA: *see* Pfister et al, 80, 486
Patz A: *see* Fournier et al, 351
Peracchia C: *see* Bernardini and Peracchia, 291
Pfister RR, Hayes SA, Paterson CA: The influence of parenteral ascorbate on the strength of corneal wounds, 80
—, Nicolaro ML, Paterson CA: Sodium citrate reduces incidence of corneal ulcerations and perforations in extreme alkali-burned eyes—acetylcysteine and ascorbate have no favorable effects, 486
Philipson BT: *see* Fagerholm and Philipson, 408
Pinto LH: *see* LaVail et al, 658
Pirchio M: *see* Fiorentini et al, 490
Pola J: *see* Wyatt and Pola, 477
Polansky J: *see* Alvarado et al, 714
—*see* Weinreb et al, 403
Porciatti V: *see* Fiorentini et al, 490
Prager TC, Wilson DJ, Avery G, Merritt J, Garcia C, Hopen G, Anderson RE: Vitreous fluorophotometry: identification of sources of variability, 854
Prendergast RA: *see* Taylor et al, 422
Pribnow JF: *see* Hall and Pribnow, 753

R

Radius RL, de Bruin J: Anatomy of retinal nerve fiber layer, 745
Rand N: *see* Stein et al, 550
Rao NA, Guy J, Sheffield PS: Effects of chronic demyelination on axonal transport in experimental allergic optic neuritis, 606
Rassow B: *see* Dressler and Rassow, 737
Raviola E: *see* Raviola and Raviola, 52
Raviola G, Raviola E: Paracellular route of aqueous outflow in trabecular meshwork and canal of Schlemm. A freeze-fracture study of the endothelial junctions in sclerocorneal angle of the macaque monkey eye, 52
Ripps H: *see* Bellhorn et al, 771
Riva CE, Sinclair SH, Grunwald JE: Autoregulation of retinal circulation in response to decrease of perfusion pressure, 34
Rodrigues MM, Rowden G, Hackett J, Bakos I: Langerhans cells in normal conjunctiva and peripheral cornea of selected species, 759
Rohen JW, Futa R, Lütjen-Drecoll E: Fine structure of cribriform meshwork in normal and glaucomatous eyes as seen in tangential sections, 574
—*see* Lütjen-Drecoll et al, 563
Rohrbach DH: *see* Church et al, 73
Rosenblatt LS: *see* Roth et al, 95
Roth AM, Ekins MB, Waring GO III, Gupta LM, Rosenblatt LS: Oval corneal opacities in beagles. III. Histochemical demonstration of stromal lipids without hyperlipidemia, 95
Rowden G: *see* Rodrigues et al, 759
Rubinstein MP, Harding GFA: The visually evoked subcortical potential: is it related to electroretinogram, 335

S

St. John R, Timney B: Sensitivity deficits consistent with aberrant crossed visual pathways in human albinos, 873
Salamone JC: *see* Galin et al, 354
Sanchez R: *see* Jagadeesh and Sanchez, 620
Sandberg MA, Sullivan PL, Berson EL: Temporal aspects of dark-adapted cone a-wave in retinitis pigmentosa, 765
Sanders DR: *see* Greiner et al, 700
Schachter J: *see* Malaty et al, 833
—*see* Taylor et al, 422
Sekuler R: *see* Owsley et al, 362
Shapiro MS, Friend J, Thoft RA: Corneal re-epithelialization from conjunctiva, 135
Sheffield PS: *see* Rao et al, 606
Sicher SE: *see* Brick et al, 681
Siegel IM: *see* Bellhorn et al, 771
Silverstein AM: *see* Taylor et al, 422
Simon S: *see* Green et al, 586
Sinclair SH: *see* Riva et al, 34
Skottun BC, Nordby J, Magnussen S: Photopic and scotopic flicker sensitivity of a rod monochromat, 877
Soppet DR: *see* Whikehart and Soppet, 819
Spear PD: *see* Guillery et al, 27
Spekreijse H: *see* van der Marel et al, 457
Spinelli D: *see* Fiorentini et al, 490
Stark WJ: *see* Calkins et al, 322

Stein PC, Rand N, Char DH: Fc and C3b receptors on cultured retinoblastoma cells, 550
Steinberg RH: *see* Eckmiller and Steinberg, 369
Stern WH: *see* Anderson et al, 10
Stone RA: *see* Laties et al, 484
Streeten BW, Licari PA, Marucci AA, Dougherty RM: Immunohistochemical comparison of ocular zonules and microfibrils of elastic tissue, 130
Sugar A: *see* Cowen et al, 879
Sullivan PL: *see* Sandberg et al, 765
SundarRaj N: *see* Church et al, 73
Szamier RB: Ultrastructure of preretinal membrane in retinitis pigmentosa, 227
—*see* Berson et al, 345
—*see* Effron et al, 611

T

Taylor HR, Prendergast RA, Dawson CR, Schachter J, Silverstein AM: An animal model for cicatrizing trachoma, 422
Thirkill CE: *see* Gregerson et al, 669
Thoft RA: *see* Friend et al, 317
—*see* Kinoshita et al, 434
—*see* Shapiro et al, 135
Timney B: Development of binocular depth perception in kittens, 493
—*see* St. John and Timney, 873
Troost BT: *see* Bahill et al, 116
Trousdale MD, Nesburn AB: Evaluation of the antiherpetic activity of 2′-fluoro-5-iodoara-C in rabbit eyes and cell cultures, 826
Tsai HC: *see* Bellhorn et al, 771
Tuberville AW: *see* Galin et al, 354

V

van der Marel H, Dagnelie G, Spekreijse H: Pattern evoked potentials in awake rhesus monkeys, 457
Verner GE: *see* Anderson et al, 554
von Noorden GK, Crawford MLJ: The effects of total unilateral occlusion vs. lid suture on visual system of infant monkeys, 142
von Saltza I: *see* Cheng et al, 812

W

Waring GO III: *see* Roth et al, 95
Watson G: *see* Berson et al, 345
Watt S: *see* Fournier et al, 351
Weinreb RN, Bloom E, Baxter JD, Alvarado J, Lan N, O'Donnell J, Polansky JR: Detection of glucocorticoid receptors in cultured human trabecular cells, 403
Weissman BA: *see* Kleinstein et al, 415
Whikehart DR, Soppet DR: Activities of transport enzymes located in plasma membranes of corneal endothelial cells, 819
Wicha M: *see* Cowen et al, 879
Williams RA, Boothe RG: Development of optical quality in the infant monkey *(Macaca nemestrina)* eye, 728
Wilson DJ: *see* Prager et al, 854
Wong I: *see* Malaty et al, 833
Wyatt HJ, Pola J: Slow eye movements to eccentric targets, 477

Y

Yamada T: *see* Hayreh et al, 256
Yasumura D: *see* LaVail et al, 658

Z

Zauberman H, Livni N: Experimental vascular occlusion in hypercholesterolemic rabbits, 248
Zehl D: *see* Merigan et al, 17
Zeimer RC, Cunha-Vaz JG: Evaluation and comparison of commercial vitreous fluorophotometers, 865
Zigler JS Jr, Horwitz J: Immunochemical studies on major intrinsic polypeptides from human lens membrane, 46

Subject index*

A

Adrenergic adaptation in eye, suppressed with prostaglandin synthesis inhibitor, 756
receptor, human ciliary process, pharmacological characterization of, 798
Aerobic responses of cornea to ophthalmic preservatives, measured in vivo, 842
Age-correlated differences in amount of retinal degeneration after striate cortex lesions in monkeys, 749
-related changes in trabecular meshwork cellularity, 714
Aging and low-contrast vision; face perception, 362
Albinos, human, sensitivity deficits consistent with aberrant crossed visual pathways in, 873
Allergic encephalomyelitis, experimental. I. Optic nerve and central nervous system manifestations, 256; II. Retinal and other ocular manifestations, 270
optic neuritis, experimental, axonal transport in, effects of chronic demyelination on, 606
Alkali-burned eyes, extreme, sodium citrate reduces the incidence of corneal ulcerations and perforations in; acetylcysteine and ascorbate have no favorable effects, 486
chemical effects on polymethylmethacrylate intraocular lenses, 354
Amblyopia, anisometropic, contrast sensitivity in, 467
Amblyopic eyes have longer reaction times, 846
Anatomy of retinal nerve fiber layer, 745
Angiogenesis in rat eye, corneal micropocket assay for, 351
Anhydrase, carbonic, distribution in rabbit eye visualized by light and electron microscopy, 782
and sodium, chlorine, and intracellular pH, effects on corneal endothelial bicarbonate transport, 586
Animal and human lenses, normal, total lipid and membrane lipid analysis of, 39
Anisometropic amblyopia, contrast sensitivity in, 467
Antibody(ies), serum, to bovine retinal antigens, levels in uveitis patients, 669
tear and serum, to *Chlamydia* after reinfection with guinea pig inclusion conjunctivitis agent, 833
Antigen(s), pemphigus and pemphigoid, type IV collagen, and laminin in corneal epithelium, distribution of, 879
retinal, bovine, serum antibody to, levels in uveitis patients, 669
Antiherpetic activity of 2′-fluoro-5-iodo-ara-C in rabbit eyes and cell cultures, evaluation of, 826
Aperture, pupillary, new, induced movement of receptor alignment toward, 869
Apomorphine effects on rabbit electroretinogram, 620
Aqueous humor formation in normal human eye, effect of thymoxamine on as measured by fluorophotometry, 805
oxygen tension, in vivo, estimated from measurements on bare stroma, 415
outflow in trabecular meshwork and canal of Schlemm, paracellular route of; endothelial junctions in sclerocorneal angle of macaque monkey eye, 52
Ascorbate, parenteral, influence on strength of corneal wounds, 80
Autoregulation of retinal circulation in response to decrease of perfusion pressure, 34
a-wave of dark-adapted cone, temporal aspects in retinitis pigmentosa, 765
Axonal transport in experimental allergic optic neuritis, effects of chronic demyelination on, 606

B

Background adaptation in infants, behavioral measurement of, 625
Beagles, oval corneal opacities in. III. Histochemical demonstration of stromal lipids without hyperlipidemia, 95
Behavioral measurement of background adaptation in infants, 625
Bicarbonate transport, corneal endothelial, effects of sodium, chlorine, carbonic anhydrase, and intracellular pH on, 586
Binocular depth perception in kittens, development of, 493
Blood-ocular barriers of adult and neonatal cats, permeability of to fluorescein-labeled dextrans of selected molecular sizes, 282
Bovine retinal antigens, serum antibody to, levels in uveitis patients, 669
Bullfrog retina, localized depigmentation of the retinal pigment epithelium and macrophage invasion of, 369

C

C3b and Fc receptors on cultured retinoblastoma cells, 550
Calcium, cell, gap junction crystallization of lens fibers after increase in, 291

*July, pp. 1-226; August, pp. 227-368; September, pp. 369-498; October, pp. 499-630; November, pp. 631-770; December, pp. 771-908.

Carbonic anhydrase distribution in rabbit eye visualized by light and electron microscopy, 782
and sodium, chlorine, and intracellular pH, effects on corneal endothelial bicarbonate transport, 586
Casein, retinal degeneration in cats fed with. IV. Early receptor potential, 345
Cat(s), blue-eyed white, retinofugal pathways of, 27
fed casein, retinal degeneration in. IV. Early receptor potential, 345
neonatal and adult, blood-ocular barriers of, permeability to fluorescein-labeled dextrans of selected molecular sizes, 282
Cataracts, human senile, supplementing glucose metabolism in, 812
Cataractous human lenses, microdissected, 616
and normal lenses, human lens epithelium in, 408
Cell(s); *see also* specific cells
calcium, gap junction crystallization of lens fibers after increase in, 291
corneal endothelial, plasma membranes of, activities of transport enzymes in, 819
cultures and rabbit eyes, evaluation of antiherpetic activity of 2′-fluoro-5-iodo-ara-C in, 826
Langerhans, in normal conjunctiva and peripheral cornea of selected species, 759
Cellularity of trabecular meshwork, age-related changes in, 714
Central nervous system and optic nerve manifestations of experimental allergic encephalomyelitis, 256
Chelators of zinc, electron-opaque inclusions in rat retinal pigment epithelium after treatment with, 1
Chlamydia, serum and tear antibodies to, after reinfection with guinea pig inclusion conjunctivitis agent, 833
Chlorine, sodium, carbonic anhydrase, and intracellular pH, effects on corneal endothelial bicarbonate transport, 586
Chromatin, sex, of donor corneal epithelium in rabbits, 434
Chronic demyelination, effects on axonal transport in experimental allergic optic neuritis, 606
Cicatrizing trachoma, an animal model for, 422
Ciliary process adrenergic receptor, human, pharmacological characterization of, 798
Circulation, retinal, autoregulation of in response to decrease of perfusion pressure, 34
Clinical pharmacokinetics of the eye, 504
and screening applications, neural contrast sensitivity measurements with laser interference system for, 737
Collagen, type IV, laminin, and pemphigus and pemphigoid antigens in corneal epithelium, distribution of, 879
Cone, dark-adapted, temporal aspects of a-wave in retinitis pigmentosa, 765
Conjunctiva, corneal re-epithelialization from, 135
and peripheral cornea, normal, of selected species, Langerhans cells in, 759
Conjunctivitis agent, guinea pig inclusion, serum and tear antibodies to *Chlamydia* after reinfection with, 833
Connective tissue proteins, human ocular, gene mapping of. Assignment of structural gene for corneal type I procollagen to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids, 73
Contrast sensitivity in anisometropic amblyopia, 467
neural, measured with laser interference system for clinical and screening application, 737
Cornea, aerobic responses of to ophthalmic preservatives, measured in vivo, 842
peripheral, normal, of selected species, Langerhans cells in, 759
rabbit, induction of ocular herpes simplex virus shedding by iontophoresis of epinephrine into, 442
Corneal endothelial bicarbonate transport, effects of sodium, chlorine, carbonic anhydrase, and intracellular pH on, 586
cells, plasma membranes of, activities of transport enzymes in, 819
replacement. I. In vitro formation of an endothelial monolayer, 300
epithelium, distribution of pemphigus and pemphigoid antigens, laminin, and type IV collagen in, 879
donor, in rabbits, sex chromatin of, 434
rabbit, and diabetes mellitus, 317
micropocket assay for angiogenesis in rat eye, 351
neovascularization, lymphocyte-induced, 87
opacities, oval, in beagles. III. Histochemical demonstration of stromal lipids without hyperlipidemia, 95
re-epithelialization from the conjunctiva, 135
stroma, human–mouse fibroblast somatic cell hybrids, assignment of structural gene for corneal type I procollagen to human chromosome 7 in. Gene mapping of human ocular connective tissue proteins, 73
type I procollagen, structural gene for, assignment to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids. Gene mapping of human ocular connective tissue proteins, 73
ulcerations and perforations in extreme alkali-burned eyes, reduction by sodium citrate; acetylcysteine and ascorbate have no favorable effects, 486

Corneal—cont'd.
wound(s) healing; holographic stress-test analysis, 322
influence of parenteral ascorbate on, 80
Cribriform meshwork in normal and glaucomatous eyes, tangential sections of, 574
Crystalline lens, organophosphates of, nuclear magnetic resonance spectroscopic study, 700

D

Dark-adapted cone a-wave, temporal aspects in retinitis pigmentosa, 765
Degeneration, retinal, inherited, neurological mutants with, analysis of, 638
Demyelination, chronic, effects on axonal transport in experimental allergic optic neuritis, 606
Depigmentation of the retinal pigment epithelium, localized, and macrophage invasion of retina in bullfrog, 369
Depth perception, binocular, in kittens, development of, 493
Dextrans, fluorescein-labeled, permeability of blood-ocular barriers of neonatal and adult cats to, 282
Diabetes mellitus and rabbit corneal epithelium, 317
Diabetic retinopathy study. Report 6. Design, methods, and baseline results, 149; Report 7. A modification of the Airlie House classification of diabetic retinopathy, 210
Dystrophy, retinal, inherited, rats with, interphotoreceptor matrix in, 658

E

Elastic tissue, microfibrils of, and ocular zonules compared, 130
Electron-opaque inclusions in rat retinal pigment epithelium after treatment with chelators of zinc, 1
Electroretinogram, rabbit, apomorphine effects on, 620
relationship to visually evoked subcortical potential, 332
in response to alternating gratings in diseases of peripheral visual pathway, 490
Encephalomyelitis, allergic experimental. I. Optic nerve and central nervous system manifestations, 256; II. Retinal and other ocular manifestations, 270
Endothelial junctions in sclerocorneal angle of macaque monkey eye; paracellular route of aqueous outflow in trabecular meshwork and canal of Schlemm, 52
monolayer, in vitro formation of; corneal endothelial replacement, 300
Endothelial—cont'd.
replacement, corneal, I. In vitro formation of an endothelial monolayer, 300
Enzymes, transport, in plasma membranes of corneal endothelial cells, activities of, 819
Epinephrine, iontophoresis of into rabbit cornea, induction of ocular herpes simplex virus shedding by, 442
Epithelium, corneal, distribution of pemphigus and pemphigoid antigens, laminin, and type IV collagen in, 879
donor, in rabbits, sex chromatin of, 434
rabbit, and diabetes mellitus, 317
human lens, in normal and cataractous lenses, 408
ERG; *see* Electroretinogram
Extrafoveal stimulation, fusional response to, 600
Eye(s), amblyopic, have longer reaction times, 846
clinical pharmacokinetics of, 504
extreme alkalai-burned, sodium citrate reduces the incidence of corneal ulcerations and perforations in; acetylcysteine and ascorbate have no favorable effects, 486
glaucomatous and normal, tangential sections of trabecular meshwork in, 563
human, normal, aqueous humor formation in, effect of thymoxamine on as measured by fluorophotometry, 805
infant monkey (*Macaca nemestrina*), optical quality in, development of, 728
macaque monkey, endothelial junctions in sclerocorneal angle of; paracellular route of aqueous outflow in trabecular meshwork and canal of Schlemm, 52
movements, saccadic, variability and development of normative data base for, 116
slow, to eccentric targets, 477
rabbit, carbonic anhydrase distribution in, visualized by light and electron microscopy, 782
and cell cultures, evaluation of antiherpetic activity of 2′-fluoro-5-iodo-ara-C in, 826
rat, corneal micropocket assay for angiogenesis in, 351

F

Face perception; aging and low-contrast vision, 362
Fc and C3b receptors on cultured retinoblastoma cells, 550
Fibroblast, mouse–human corneal stroma somatic cell hybrids, assignment of structural gene for corneal type I procollagen to human chromosome 7 in. Gene mapping of human ocular connective tissue proteins, 73

Flicker sensitivity, photopic and scotopic, of a rod monochromat, 877
Fluorescein-labeled dextrans of selected molecular sizes, permeability of blood-ocular barriers of neonatal and adult cats to, 282
pharmacokinetics in vitreous, 542
2′-Fluoro-5-iodo-ara-C in rabbit eyes and cell cultures, evaluation of antiherpetic activity of, 826
Fluorophotometers, vitreous, commercial, evaluation and comparison of, 865
Fluorophotometry, measurement of effect of thymoxamine on aqueous humor formation in normal human eye by, 805
vitreous, identification of sources of variability, 854
Friedenwald Lecture, 638
Frog rod outer segment structure, light cycle–dependent axial variations in, 395
Fusional response to extrafoveal stimulation, 600

G

Ganglion cells, retinal, effect of hypoxia on maintained firing rate of, 450
Gap junction crystallization in lens fibers after increase in cell calcium, 291
Gene mapping of human ocular connective tissue proteins. Assignment of structural gene for corneal type I procollagen to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids, 73
structural, for corneal type I procollagen, assignment to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids. Gene mapping of human ocular connective tissue proteins, 73
Glaucomatous and normal eyes, tangential sections of cribriform meshwork in, 574
of trabecular meshwork in, 563
Glucocorticoid receptors in cultured human trabecular cells, detection of, 403
Glucose metabolism in human senile cataracts, supplementing, 812
Guinea pig inclusion conjunctivitis agent, serum and tear antibodies to *Chlamydia* after reinfection with, 833

H

Herpes simplex virus, quantitation in vitro and in preocular tear film, 882
shedding, ocular, induction of by iontophoresis of epinephrine into rabbit cornea, 442
type 2, dissemination from skin infections in newborn rabbits, ocular lesions associated with, 681
Holographic stress-test analysis in corneal wound healing, 322
Human albinos, sensitivity deficits consistent with aberrant crossed visual pathways in, 873
and animal lenses, normal, total lipid and membrane lipid analysis of, 39
chromosome 7, assignment of structural gene for corneal type I procollagen to in human corneal stroma–mouse fibroblast somatic cell hybrids. Gene mapping of human ocular connective tissue proteins, 73
ciliary process adrenergic receptor, pharmacological characterization of, 798
corneal stroma–mouse fibroblast somatic cell hybrids, assignment of structural gene for corneal type I procollagen to human chromosome 7 in. Gene mapping of human ocular connective tissue proteins, 73
eye, normal, aqueous humor formation in, effect of thymoxamine on as measured by fluorophotometry, 805
lens(es), cataractous, microdissected, 616
epithelium in normal and cataractous lenses, 408
membrane, immunochemical studies on major intrinsic polypeptides from, 46
ocular connective tissue proteins, gene mapping of. Assignment of structural gene for corneal type I procollagen to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids, 73
senile cataracts, supplementing glucose metabolism in, 812
trabecular cells, cultured, detection of glucocorticoid receptors in, 403
Hydrogel lenticular implants, intrasomal, refractive keratoplasty with, 107
Hypercholesterolemic rabbits, experimental vascular occlusion in, 248
Hyperlipidemia, histochemical demonstration of stromal lipids without. Oval corneal opacities in beagles, 95
Hypoxia, effect on maintained firing rate of retinal ganglion cells, 450

I

Immunization, ocular, topical, of rabbits, 753
Implants, intrasomal hydrogel lenticular, refractive keratoplasty with, 107
Inclusions, electron-opaque, in rat retinal pigment epithelium after treatment with chelators of zinc, 1
Infant(s), behavioral measurement of background adaptation in, 625
monkey (*Macaca nemestrina*) eye, optical quality in, development of, 728

Infection, skin, in newborn rabbits, type 2 herpes simplex virus disseminated from, ocular lesions associated with, 681
Inherited retinal degeneration, neurological mutants with, analysis of, 638
dystrophy, rats with, interphotoreceptor matrix in, 658
Inhibitor, prostaglandin synthesis, suppressing adrenergic adaptation in eye, 756
Internuclear ophthalmoplegia, unilateral; lack of inhibitory involvement in medial rectus muscle activity, 592
Interphotoreceptor matrix in rats with inherited retinal dystrophy, 658
Intraocular lenses, polymethylmethacrylate, chemical effects of alkali on, 354
Intrasomal hydrogel lenticular implants, refractive keratoplasty with, 107
Ion movement in and out of vitreous space after vitrectomy in in vivo eyecup preparation of rabbits, 126
Iontophoresis of epinephrine into rabbit cornea, induction of ocular herpes simplex virus shedding by, 442

K

Keratoplasty, refractive, with intrasomal hydrogel lenticular implants, 107
Kittens, development of binocular depth perception in, 493
efficacy of brief periods of reverse occlusion in promoting recovery from physiological effects of monocular deprivation in, 357

L

Laminin, type IV collagen, and pemphigus and pemphigoid antigens in corneal epithelium, distribution of, 879
Langerhans cells in normal conjunctiva and peripheral cornea of selected species, 759
Laser interference system for measuring neural contrast sensitivity, clinical and screening applications, 737
Lens(es), crystalline, organophosphates of; nuclear magnetic resonance spectroscopic study, 700
epithelium, human, in normal and cataractous lenses, 408
fibers, gap junction crystallization of after increase in cell calcium, 291
human and animal, normal, total lipid and membrane lipid analysis of, 39
cataractous, microdissected, 616
membrane, human, immunochemical studies on major intrinsic polypeptides from, 46
Lens(es)—cont'd.
normal and cataractous, human lens epithelium in, 408
polymethylmethacrylate intraocular, chemical effects of alkali on, 354
Lenticular implants, intrasomal, hydrogel, refractive keratoplasty with, 107
Lesions, ocular, associated with dissemination of type 2 herpes simplex virus from skin infections in newborn rabbits, 681
striate cortex, in monkeys, retinal degeneration after, age-correlated differences in, 749
Lid suture vs. total unilateral occlusion, effects on visual system of infant monkeys, 142
Light cycle–dependent axial variations in frog rod outer segment structure, 395
Lipid(s), membrane, and total lipid analysis of normal animal and human lenses, 39
stromal, histochemical demonstration of without hyperlipidemia. Oval corneal opacities in beagles, 95
total, and membrane lipid analysis of normal animal and human lenses, 39
Liposomes, selective phagocytosis of by cultured RCS rat pigment epithelium, 611
Low-contrast vision and aging; face perception, 362
Lymphocyte-induced corneal neovascularization, 87

M

Macaca nemestrina; see Monkey, *Macaca nemestrina*
Macaques; *see* Monkeys, macaques
Macrophage invasion and localized depigmentation of the retinal pigment epithelium in bullfrog, 369
Macula, in rhesus monkeys, pigmentary abnormalities of, 771
Matrix, interphotoreceptor, in rats with inherited retinal dystrophy, 658
Medial rectus muscle activity, lack of inhibitory involvement in unilateral internuclear ophthalmoplegia, 592
Membrane(s), human lens, immunochemical studies on major intrinsic polypeptides from, 46
lipid and total lipid analysis of normal animal and human lenses, 39
plasma, of corneal endothelial cells, activities of transport enzymes in, 819
Microfibrils of elastic tissue and ocular zonules compared, 130
Micropocket assay, corneal, for angiogenesis in rat eye, 351
Monkey(s), infant, effects of total unilateral occlusion vs. lid suture on visual system of, 142

Monkey(s)—cont'd.
Macaca nemestrina, infant, eye of, optical quality in, development of, 728
macaque(s), eye of, endothelial junctions in sclerocorneal angle of; paracellular route of aqueous outflow in trabecular meshwork and canal of Schlemm, 52
spatial and temporal vision of after central retinal lesions, 17
retinal degeneration after striate cortex lesions in, age-correlated differences in, 749
rhesus, awake, pattern evoked potentials in, 457
pigmentary abnormalities of macula in, 771
Monochromat, rod, photopic and scotopic flicker sensitivity of, 877
Monocular deprivation in kittens, efficacy of brief periods of reverse occlusion in promoting recovery from physiological effects of, 357
Monosodium glutamate, effect on retinal vessel development and permeability in rats, 237
Mouse fibroblast–human corneal stroma somatic cell hybrids, assignment of structural gene for corneal type I procollagen to human chromosome 7 in. Gene mapping of human ocular connective tissue proteins, 73
Muscle, medial rectus, lack of inhibitory involvement in; unilateral internuclear ophthalmoplegia, 592
Mutants, neurological, with inherited retinal degeneration, analysis of, 638

N

Neovascularization, corneal, lymphocyte-induced, 87
Nerve fiber layer, retinal, anatomy of, 745
substance P–like immunoreactive, in trabecular meshwork, 484
Neural contrast sensitivity measurements with laser interference system for clinical and screening application, 737
Neuritis, optic, allergic, experimental, axonal transport in, effects of chronic demyelination on, 606
Neurological mutants with inherited retinal degeneration, analysis of, 638
Newborn rabbits, skin infection in, type 2 herpes simplex virus disseminated from, ocular lesions associated with, 681
Nuclear magnetic resonance spectroscopic study of organophosphates of crystalline lens, 700

O

Occlusion, reverse, efficacy of brief periods of in promoting recovery from physiological effects of monocular deprivation in kittens, 357
Occlusion—cont'd.
total unilateral, vs. lid suture, effects on visual system of infant monkeys, 142
vascular, experimental, in hypercholesterolemic rabbits, 248
Ocular connective tissue proteins, human, gene mapping of. Assignment of structural gene for corneal type I procollagen to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids, 73
herpes simplex virus shedding, induction of by iontophoresis of epinephrine into rabbit cornea, 442
immunization, topical, of rabbits, 753
lesions associated with dissemination of type 2 herpes simplex virus from skin infection in newborn rabbits, 681
zonules and microfibrils of elastic tissue compared, 130
Ophthalmic preservatives, aerobic responses of cornea to, measured in vivo, 842
Ophthalmoplegia, unilateral internuclear; lack of inhibitory involvement in medial rectus muscle activity, 592
Optic nerve and central nervous system manifestations of experimental allergic encephalomyelitis, 256
neuritis, allergic, experimental, axonal transport in, effects of chronic demyelination on, 606
Optical quality in eye of infant monkey (*Macaca nemestrina*), development of, 728
Organophosphates of crystalline lens; nuclear magnetic resonance spectroscopic study, 700
Outflow, aqueous, in trabecular meshwork and canal of Schlemm, paracellular route of; endothelial junctions in sclerocorneal angle of macaque monkey eye, 52
Oxygen tension of in vivo aqueous humor, estimated from measurements on bare stroma, 415

P

Pattern evoked potentials in awake rhesus monkeys, 457
Pemphigoid and pemphigus antigens, laminin, and type IV collagen in corneal epithelium, distribution of, 879
Pemphigus and pemphigoid antigens, laminin, and type IV collagen in corneal epithelium, distribution of, 879
Perfusion pressure, decrease of, autoregulation of retinal circulation in response to, 34
Peripheral cornea, normal, of selected species, Langerhans cells in, 759
pH, intracellular, sodium, chlorine, and carbonic anhydrase, effects on corneal endothelial bicarbonate transport, 586

Phagocytosis of liposomes by cultured RCS rat pigment epithelium, 611
Pharmacokinetics, clinical, of the eye, 504
of fluorescein in vitreous, 542
Photopic and scotopic flicker sensitivity of a rod monochromat, 877
Pigment epithelial proliferation after retinal detachment, 10
epithelium, rat, cultured, selective phagocytosis of liposomes by, 611
retinal, localized depigmentation of, and macrophage invasion of retina in bullfrog, 369
rat, electron-opaque inclusions in after treatment with chelators of zinc, 1
Pigmentary abnormalities of macula in rhesus monkeys, 771
Plasma membranes of corneal endothelial cells, activities of transport enzymes in, 819
Polymethylmethacrylate intraocular lenses, chemical effects of alkali on, 354
Polypeptides, major intrinsic, from human lens membrane, immunochemical studies on, 46
Postnatal rat, regression of tunica vasculosa lentis in, 689
Potential(s), early receptor; retinal degeneration in cats fed casein, 345
pattern evoked, in awake rhesus monkeys, 457
visually evoked subcortical, relationship to electroretinogram, 335
Preocular tear film, quantitation of herpes simplex virus in, and in vitro, 882
Preretinal membrane in retinitis pigmentosa, ultrastructure of, 227
Preservatives, ophthalamic, aerobic responses of cornea to, measured in vivo, 842
Procollagen, corneal type I, structural gene for, assignment to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids. Gene mapping of human ocular connective tissue proteins, 73
Proctor Lecture, 504
Prostaglandin synthesis inhibitor suppressing adrenergic adaptation in eye, 756
Protein(s), human ocular connective tissue, gene mapping of. Assignment of structural gene for corneal type I procollagen to human chromosome 7 in human corneal stroma–mouse fibroblast somatic cell hybrids, 73
synthesis in retina, effect of sodium aspartate and sodium glutamate on, 554
Pupillary aperture, new, induced movement of receptor alignment toward, 869

R

Rabbit(s) cornea, induction of ocular herpes simplex virus shedding by iontophoresis of epinephrine into, 442
Rabbit(s)—cont'd.
corneal epithelium and diabetes mellitus, 317
electroretinogram, apomorphine effects on, 620
eye(s), carbonic anhydrase distribution in, visualized by light and electron microscopy, 782
and cell cultures, evaluation of antiherpetic activity of 2′-fluoro-5-iodo-ara-C in, 826
hypercholesterolemic, experimental vascular occlusion in, 248
in vivo eyecup preparation of; ion movement in and out of vitreous space after vitrectomy, 126
newborn, skin infection in, type 2 herpes simplex virus disseminated from, ocular lesions associated with, 681
sex chromatin of donor corneal epithelium in, 434
topical ocular immunization of, 753
Rat(s), effect of monosodium glutamate on retinal vessel development and permeability in, 237
eye, corneal micropocket assay for angiogenesis in, 351
with inherited retinal dystrophy, interphotoreceptor matrix in, 658
pigment epithelium, cultured, selective phagocytosis of liposomes by, 611
postnatal, regression of tunica vasculosa lentis in, 689
retinal pigment epithelium, electron-opaque inclusions in after treatment with chelators of zinc, 1
Receptor(s), adrenergic, human ciliary process, pharmacological characterization of, 798
alignment, induced movement of toward a new pupillary aperture, 869
Fc and C3b, on cultured retinoblastoma cells, 550
glucocorticoid, in cultured human trabecular cells, detection of, 403
potential, early; retinal degeneration in cats fed casein, 345
Rectus muscle activity, medial, lack of inhibitory involvement in; unilateral internuclear ophthalmoplegia, 592
Re-epithelialization, corneal, from the conjunctiva, 135
Retina, bullfrog, localized depigmentation of the retinal pigment epithelium and macrophage invasion of, 369
effect of sodium aspartate and sodium glutamate on protein synthesis in, 554
Retinal antigens, bovine, serum antibody to, levels in uveitis patients, 669
circulation, autoregulation of in response to decrease of perfusion pressure, 34
degeneration in cats fed casein. IV. Early receptor potential, 345

Retinal degeneration—cont'd.
inherited, neurological mutants with, analysis of, 638
after striate cortex lesions in monkeys, age-correlated differences in, 749
detachment, pigment epithelial proliferation after, 10
dystrophy, inherited, rats with, interphotoreceptor matrix in, 658
ganglion cells, effect of hypoxia on maintained firing rate of, 450
lesions, central, spatial and temporal vision of macaques after, 17
nerve fiber layer, anatomy of, 745
and other ocular manifestations of experimental allergic encephalomyelitis, 270
pigment epithelium, localized depigmentation of, and macrophage invasion of retina in bullfrog, 369
vessel development and permeability in rats, effect of monosodium glutamate on, 237
Retinitis pigmentosa, temporal aspects of dark-adapted cone a-wave in, 765
ultrastructure of preretinal membrane in, 227
Retinoblastoma cells, cultured, Fc and C3b receptors on, 550
Retinofugal pathways of blue-eyed white cats, 27
Retinopathy, diabetic, 149
Rhesus monkeys; *see* Monkeys, rhesus
Rod monochromat, photopic and scotopic flicker sensitivity of, 877
outer segment structure, frog, light cycle–dependent axial variations in, 395

S

Saccadic eye movements, variability and development of normative data base for, 116
Schlemm's canal and trabecular meshwork, paracellular route of aqueous outflow in; endothelial junctions in sclerocorneal angle of macaque monkey eye, 52
Sclerocorneal angle of macaque monkey eye, endothelial junctions in; paracellular route of aqueous outflow in trabecular meshwork and canal of Schlemm, 52
Scotopic and photopic flicker sensitivity of a rod monochromat, 877
Screening, neural contrast sensitivity measurements with laser interference system for, 737
Sensitivity deficits consistent with aberrant crossed visual pathways in human albinos, 873
Serum antibody to bovine retinal antigens, levels in uveitis patients, 669
and tear antibodies to *Chlamydia* after reinfection with guinea pig inclusion conjunctivitis agent, 833
Sex chromatin of donor corneal epithelium in rabbits, 434
Skin infection in newborn rabbits, type 2 herpes simplex virus disseminated from, ocular lesions associated with, 681
Sodium aspartate and sodium glutamate, effect on protein synthesis in retina, 554
and chlorine, carbonic anhydrase, and intracellular pH, effects on corneal endothelial bicarbonate transport, 586
citrate reduces the incidence of corneal ulcerations and perforations in extreme alkali-burned eyes; acetylcysteine and ascorbate have no favorable effects, 486
glutamate and sodium aspartate, effect on protein synthesis in retina, 554
Somatic cell hybrids, human corneal stroma–mouse fibroblast, assignment of structural gene for corneal type I procollagen to human chromosome 7 in. Gene mapping of human ocular connective tissue proteins, 73
Spatial and temporal vision of macaques after central retinal lesions, 17
Spectroscopic, nuclear magnetic resonance, study of organophosphates of crystalline lens, 700
Stress-test analysis, holographic, and corneal wound healing, 322
Striate cortex lesions in monkeys, retinal degeneration after, age-correlated differences in, 749
Stroma, bare, in vivo aqueous humor oxygen tension estimated from measurements on, 415
Stromal lipids, histochemical demonstration of without hyperlipidemia. Oval corneal opacities in beagles, 95
Stimulation, extrafoveal, fusional response to, 600
Subcortical potential, visually evoked, relationship to electroretinogram, 335
Substance P–like immunoreactive nerve fibers in trabecular meshwork, 484
Suppression of adrenergic adaptation in eye with prostaglandin synthesis inhibitor, 756

T

Tangential sections of cribriform meshwork in normal and glaucomatous eyes, 574
of trabecular meshwork in normal and glaucomatous eyes, 563
Tear film, preocular, quantitation of herpes simplex virus in, and in vitro, 882
and serum antibodies to *Chlamydia* after reinfection with guinea pig inclusion conjunctivitis agent, 833
Temporal aspects of dark-adapted cone a-wave in retinitis pigmentosa, 765
and spatial vision of macaques after central retinal lesions, 17

Thymoxamine, effect on aqueous humor formation in normal human eye as measured by fluorophotometry, 805
Topical ocular immunization of rabbits, 753
Trabecular cells, human, cultured, detection of glucocorticoid receptors in, 403
meshwork and canal of Schlemm, paracellular route of aqueous outflow in; endothelial junctions in sclerocorneal angle of macaque monkey eye, 52
cellularity, age-related changes in, 714
in normal and glaucomatous eyes, tangential sections of, 563
substance P–like immunoreactive nerve fibers in, 484
Trachoma, cicatrizing, animal model for, 422
Tunica vasculosa lentis, regression of, in postnatal rat, 689

U

Uveitis patients, levels of serum antibody to bovine retinal antigens in, 669

V

Vascular occlusion, experimental, in hypercholesterolemic rabbits, 248
Virus, herpes simplex, induction of ocular shedding of by iontophoresis of epinephrine into rabbit cornea, 442
quantitation in vitro and in preocular tear film, 882
Vision, low-contrast, and aging; face perception, 362
Vision—cont'd.
spatial and temporal, of macaques after central retinal lesions, 17
Visual pathway(s), aberrant crossed, in human albinos, sensitivity deficits consistent with, 873
peripheral, electroretinogram in response to alternating gratings in diseases of, 490
Visually evoked subcortical potential, relationship to electroretinogram, 335
Vitrectomy in in vivo eyecup preparation of rabbits, ion movement in and out of vitreous space after, 126
Vitreous fluorophotometers, commercial, evaluation and comparison of, 865
fluorophotometry, identification of sources of variability, 854
pharmacokinetics of fluorescein in, 542
space, ion movement in and out of after vitrectomy in in vivo eyecup preparation of rabbits, 126

W

Wound healing, corneal; holographic stress-test analysis, 322
corneal, influence of parenteral ascorbate on, 80

Z

Zinc chelators, electron-opaque inclusions in rat retinal pigment epithelium after treatment with, 1
Zonules, ocular, and microfibrils of elastic tissue compared, 130